



RYAN N. PATTERSON  
MANAGER-CLERK  
ST. JOHNS, AZ 85936

JOE SHIRLEY, JR.  
VICE CHAIRMAN OF THE BOARD  
DISTRICT I  
P.O. Box 1952, Chinle, AZ 86503

ALTON JOE SHEPHERD  
CHAIRMAN OF THE BOARD  
DISTRICT II  
P.O. Box 994, Ganado, AZ 86505

TRAVIS SIMSHAUSER  
MEMBER OF THE BOARD  
DISTRICT III  
P.O. Box 428, St. Johns, AZ 85936

**BOARD OF SUPERVISORS  
OF APACHE COUNTY**

P.O. BOX 428  
ST. JOHNS, ARIZONA 85936

TELEPHONE: (928) 337-7503  
FACSIMILE: (928) 337-2003

**NOTICE OF A SPECIAL PUBLIC MEETING AND  
AGENDA OF THE APACHE COUNTY BOARD OF SUPERVISORS AND  
THE APACHE COUNTY BOARD OF EQUALIZATION**

**November 18, 2020  
Board of Supervisors' Hearing Room, First Floor  
75 West Cleveland Street  
St. Johns, Arizona  
10:00 a.m. MST**

**NOTICE OF PUBLIC MEETING AND AGENDA OF THE  
APACHE COUNTY BOARD OF EQUALIZATION  
HELD IN CONJUNCTION WITH THE  
BOARD OF SUPERVISORS MEETING  
November 18, 2020**

1. Discussion and possible acceptance of the following Petitions for Review of Notice of Change determinations heard by Hearing Officer Charles Johnson on November 9, 2020.

Acceptance of hearing determination of Petition for Review of Notice of Change Kevin & Karen Lee, parcel 203-20-021B.

Acceptance of hearing determination of Petition for Review of Notice of Change for Merrie Wolslagel, parcel 101-72-019.

Acceptance of hearing determination of Petition for Review of Notice of Change for Michael Elmore & Judith Martin, parcel 106-22-027C.


Acceptance of hearing determination of Petition for Review of Notice of Change for Jeffrey & Denise Richins, parcel 203-21-006F.

Acceptance of hearing determination of Petition for Review of Notice of Change for Karson & Claryce Crosby, parcel 203-39-009G.

**NOTICE OF PUBLIC MEETING AND AGENDA OF  
THE APACHE COUNTY BOARD OF SUPERVISORS  
November 18, 2020**

1. Election Department: Discussion and possible approval of the Canvass of the November 3, 2020 General Election.
2. Engineering Department: Discussion and possible approval to authorize the County Manager as the Authorized Signatory for the State of Arizona Surplus Property.
3. Engineering Department: Discussion and possible approval to purchase a new dump truck from Rush Peterbilt for a cost of \$191,103.59, utilizing Sourcewell, Contract #06-18, using District III Carryover Funds.
4. Engineering Department: Discussion and possible approval to purchase a new Semi Truck from Rush Peterbilt for a cost of \$148,381.17, utilizing Sourcewell, Contract #06-18 using District III Carryover Funds.

*Pursuant to the Americans with Disabilities Act, the Apache County Board of Supervisors endeavors to ensure the accessibility of its meetings to all persons with disabilities. If you need an accommodation for a meeting, please contact the Clerk of the Board's office at (928)337-7503, TDD (928)-337-4402 at least 24 hours prior to the meeting (not including weekends or holidays) so that an accommodation can be arranged. One or more members of the Board of Supervisors may participate telephonically or through video communication.*

Posted this 17<sup>th</sup> day of November 2020, at 8:00 a.m. MST by .



---

Ryan N. Patterson  
Clerk of the Board


**Apache County Board of Supervisors  
AGENDA ITEM REVIEW FORM**

date/time stamp

Submitter's Name: (Individual, Organization, or County Department)

County Manager \_\_\_\_\_

Date/Signature: \_\_\_\_\_



Describe in detail what you want to say to the Board and what action you want the Board to take:

1. Discussion and possible acceptance of the following Petitions for Review of Notice of Change determinations heard by Hearing Officer Charles Johnson on November 9, 2020.

Acceptance of hearing determination of Petition for Review of Notice of Change Kevin & Karen Lee, parcel 203-20-021B.

Acceptance of hearing determination of Petition for Review of Notice of Change for Merrie Wolslagel, parcel 101-72-019.

Acceptance of hearing determination of Petition for Review of Notice of Change for Michael Elmore & Judith Martin, parcel 106-22-027C.

Acceptance of hearing determination of Petition for Review of Notice of Change for Jeffrey & Denise Richins, parcel 203-21-006F.

Acceptance of hearing determination of Petition for Review of Notice of Change for Karson & Claryce Crosby, parcel 203-39-009G.

BOS Meeting Date Requested \_\_\_\_\_

---

**PRE-AGENDA ITEM REVIEW**

Legal Review: \_\_\_\_\_

Signature \_\_\_\_\_

**PETITION FOR REVIEW OF NOTICE OF CHANGE**

FOR OFFICIAL USE ONLY  
**RECEIVED**  
SEP 29 2020  
Board of Supervisors  
Apache County, AZ

**INSTRUCTIONS:**

PURSUANT TO A.R.S. §§ 42-15105, 42-16105, 42-16108, 42-16157, 42-16165 & 42-16205

- **IN MARICOPA AND PIMA COUNTIES:** File this petition and include a copy of the Assessor's Amended Property Notice of Valuation with the **STATE Board of Equalization (SBOE)** located at 100 N. 15th Avenue, Suite 130, Phoenix, AZ 85007.
- **IN ALL OTHER COUNTIES:** File this petition with the **COUNTY Board of Equalization.**
- This petition must be filed within twenty-five days after the date of the Assessor's Notice of Change.
- Provide a copy of any additional information being submitted to either the County or State Board of Equalization. **Keep a copy of this form and all information submitted to the Board for your records.**
- The County or State Board of Equalization must rule on all appeals on or before the third Friday in November. If the petitioner is dissatisfied with the County or State Board of Equalization's decision, an appeal with the Superior Court or Tax Court must be filed within 60 days of the mailing of the Board's decision.

**IMPORTANT: PETITIONER MUST COMPLETE SECTIONS 1 THROUGH 11 WHERE APPLICABLE. PLEASE TYPE OR PRINT.**

1. DATE FILED 9/28/20 COUNTY Apache PARCEL NUMBER 203-20- ACCOUNT NUMBER R0031230  
 2. PROPERTY ADDRESS OR LEGAL DESCRIPTION: 1595 W. 15th N. St. Johns, Az 021B 85936  
 3. IF MORE THAN ONE PARCEL IS INVOLVED IN THE APPEAL CHECK THIS BOX  . ATTACH A MULTIPLE PARCEL APPEAL FORM (DOR 82131).  
 4. USE OF PROPERTY: RESIDENTIAL (OWNER OCCUPIED)  RESIDENTIAL (RENTAL)  VACANT LAND   
 AGRICULTURAL  COMMERCIAL / INDUSTRIAL  SPECIFY (OFFICE, WAREHOUSE, ETC.) \_\_\_\_\_

5A. OWNER'S NAME AS SHOWN ON THE NOTICE OF CHANGE  
Lee Kevin W & Karen M  
CO-Trustees Lee family  
Trust

5B. MAIL DECISION TO: (IF DIFFERENT FROM 5A)  
Kevin and Karen Lee  
P.O. Box 896  
St. Johns, Az 85936

6. PETITION COMPLETED BY: (Specify Owner, Agent, Attorney, etc.)  
 NAME / COMPANY NAME Kevin & Karen Lee EMAIL ADDRESS klee.8@hotmail.com  
 ADDRESS (CITY, STATE, ZIP CODE) 1595 W. 15th N. St. Johns, Az 85936 TELEPHONE NUMBER 928-245-300  
P.O. Box 896  
 AGENTS ONLY: Include a copy of a current Agency Authorization Form (82130AA) with this petition.

Real Estate Appraisal Division Number \_\_\_\_\_ SBOE Number \_\_\_\_\_ (PIMA AND MARICOPA COUNTIES ONLY)

7. **BASIS FOR THIS PETITION:** Provide evidence for appealing the Assessor's Notice of Change. Include the parcel number(s) of other properties used in your appeal. Specify if the appeal is based upon one or more of the following methods of valuation:  
 MARKET SALES APPROACH  COST APPROACH  INCOME APPROACH   
We only added 400sq feet to the home and it IS NOT a bedroom. We lost a bedroom because of this addition so we actually downsized from a 4 bedroom home to a 3 bedroom home.

8.	ORIGINAL VALUE	FULL CASH VALUE \$ 128,410	LIMITED PROPERTY VALUE \$ 82,340	PROPERTY CLASS 03.1	ASSMT. RATIO .10
9.	AMENDED VALUE	FULL CASH VALUE \$ 175,669	LIMITED PROPERTY VALUE \$ 133,263	PROPERTY CLASS 03.1	ASSMT. RATIO .10
10.	OWNER'S OPINION OF VALUE	FULL CASH VALUE \$ 135,000	LIMITED PROPERTY VALUE \$ <del>82,340</del>	PROPERTY CLASS 03.1	ASSMT. RATIO .10

11. I HEREBY AFFIRM THAT ALL THE INFORMATION HEREIN IS TRUE AND CORRECT.  
 x Kevin W. Lee Karen M. Lee  
 SIGNATURE OF PROPERTY OWNER OR REPRESENTATIVE  
 TELEPHONE 928-245-3004


IN PIMA AND MARICOPA COUNTIES ONLY: Check here  if you want this appeal to be heard "On The Record". This means that neither you nor the Assessor will appear in person before the State Board of Equalization to offer oral testimony. Submit any additional written or typed information with this form.

FOR OFFICIAL USE ONLY	12. COUNTY BOARD OF EQUALIZATION	FULL CASH VALUE \$ 172,904	LIMITED PROPERTY VALUE \$	PROPERTY CLASS	ASSMT. RATIO
	13. BASIS FOR DECISION: <u>Based on stipulated agreement Hearing Officer Johnson determined subject property be set at 172,904 for 2021.</u>				
	<u>9/29/2020</u>	DATE RECEIVED	DATE DECISION MAILED	CHAIRMAN OR CLERK OF THE BOARD	

**PETITION FOR REVIEW OF NOTICE OF CHANGE**

**INSTRUCTIONS:**

PURSUANT TO A.R.S. §§ 42-15105, 42-16105, 42-16108, 42-16157, 42-16165 & 42-16205



- IN MARICOPA AND PIMA COUNTIES: File this petition and include a copy of the Assessor's Amended Property Notice of Valuation with the STATE Board of Equalization (SBOE) located at 100 N. 15th Avenue, Suite 130, Phoenix, AZ 85007.
- IN ALL OTHER COUNTIES: File this petition with the COUNTY Board of Equalization.
- This petition must be filed within twenty-five days after the date of the Assessor's Notice of Change.
- Provide a copy of any additional information being submitted to either the County or State Board of Equalization. Keep a copy of this form and all information submitted to the Board for your records.
- The County or State Board of Equalization must rule on all appeals on or before the third Friday in November. If the petitioner is dissatisfied with the County or State Board of Equalization's decision, an appeal with the Superior Court or Tax Court must be filed within 60 days of the mailing of the Board's decision.

**IMPORTANT: PETITIONER MUST COMPLETE SECTIONS 1 THROUGH 11 WHERE APPLICABLE. PLEASE TYPE OR PRINT.**

1. DATE FILED 9/28/20 COUNTY APACHE PARCEL NUMBER 101-72-019 ACCOUNT NUMBER R0001932
2. PROPERTY ADDRESS OR LEGAL DESCRIPTION: ALPINE FOREST ESTATES LOT: 19 SECTION: 11 TOWNSHIP: 5N RANGE: 3
3. IF MORE THAN ONE PARCEL IS INVOLVED IN THE APPEAL CHECK THIS BOX  . ATTACH A MULTIPLE PARCEL APPEAL FORM (DOR 82131).
4. USE OF PROPERTY: RESIDENTIAL (OWNER OCCUPIED)  RESIDENTIAL (RENTAL)  VACANT LAND   
 AGRICULTURAL  COMMERCIAL / INDUSTRIAL  SPECIFY (OFFICE, WAREHOUSE, ETC.) \_\_\_\_\_

5A. OWNER'S NAME AS SHOWN ON THE NOTICE OF CHANGE  
4 HEREFORD ROAD  
BISBEE, AZ 85603

5B. MAIL DECISION TO: (IF DIFFERENT FROM 5A)  
PO BOX 1067  
ALPINE, AZ 85920

6. PETITION COMPLETED BY: (Specify Owner, Agent, Attorney, etc.)  
 NAME / COMPANY NAME MERRIE WOLSLAGEL EMAIL ADDRESS merrie\_elizabeth@yahoo.com  
 ADDRESS (CITY, STATE, ZIP CODE) PO BOX 1067 ALPINE AZ 85920 TELEPHONE NUMBER (505) 506-0654

**AGENTS ONLY:** Include a copy of a current Agency Authorization Form (82130AA) with this petition.

Real Estate Appraisal Division Number \_\_\_\_\_ SBOE Number \_\_\_\_\_ (PIMA AND MARICOPA COUNTIES ONLY)


7. BASIS FOR THIS PETITION: Provide evidence for appealing the Assessor's Notice of Change. Include the parcel number(s) of other properties used in your appeal. Specify if the appeal is based upon one or more of the following methods of valuation:  
 MARKET SALES APPROACH  COST APPROACH  INCOME APPROACH   
PROPERTY CLASS CORRECTION ONLY; EMAIL ADDRESS CHANGE ON 9/27/20

	ORIGINAL VALUE	FULL CASH VALUE	LIMITED PROPERTY VALUE	PROPERTY CLASS	ASSMT. RATIO
8.		\$ <u>26,300<sup>mu</sup></u>	\$	<u>02.R</u>	
9.	AMENDED VALUE	\$	\$	<u>04.1</u>	ASSMT. RATIO
10.	OWNER'S OPINION OF VALUE	\$	\$	<u>03.1</u>	ASSMT. RATIO

11. I HEREBY AFFIRM THAT ALL THE INFORMATION HEREIN IS TRUE AND CORRECT.  
 X Merrie Wolslagel  
 SIGNATURE OF PROPERTY OWNER OR REPRESENTATIVE  
 TELEPHONE (505) 506-0654

IN PIMA AND MARICOPA COUNTIES ONLY: Check here  if you want this appeal to be heard "On The Record". This means that neither you nor the Assessor will appear in person before the State Board of Equalization to offer oral testimony. Submit any additional written or typed information with this form.

FOR OFFICIAL USE ONLY	12. COUNTY BOARD OF EQUALIZATION	FULL CASH VALUE	LIMITED PROPERTY VALUE	PROPERTY CLASS	ASSMT. RATIO	FOR OFFICIAL USE ONLY
		\$ <u>no change</u>	\$			
	13. BASIS FOR DECISION: <u>Petitioner submitted her appeal. Hearing officer entered a no change.</u>					



## Beth Bond

---

**From:** Merrie Wolslagel <merrie.elizabeth@yahoo.com>  
**Sent:** Thursday, November 5, 2020 12:55 PM  
**To:** Ruben Aranda  
**Cc:** Beth Bond; Diana Morgan  
**Subject:** Re: Protest

Good Afternoon,

I would like to retract my appeal at this time. I will pursue a legal class change during Notice of Value for 2022.

Merrie Wolslagel

Sent from Merrie's iPhone

On Nov 5, 2020, at 9:14 AM, Ruben Aranda <raranda@co.apache.az.us> wrote:

Good morning,

Just wanted to let you know that I sent you a Legal Class form to fill out, that way you don't have to file an Appeal if you don't want to. I have spoken to the County Manager Office to let them know that you would not be making the meeting on Monday because you have retracted your appeal for this year, they advised me that you would need to call or email them personally about retracting your Appeal.

thank you,

**Ruben Aranda**  
**Apache County**  
**Property Appraiser Level III**  
**928-337-7624 ext. 7924**

**PETITION FOR REVIEW OF NOTICE OF CHANGE**

PURSUANT TO A.R.S. §§ 42-15105, 42-16105, 42-16108, 42-16157, 42-16165 & 42-16205

RECEIVED  
FOR OFFICIAL USE ONLY

OCT 19 2020

PO BOX 770

St. Johns AZ 85905

**INSTRUCTIONS:**

- **IN MARICOPA AND PIMA COUNTIES:** File this petition with the **STATE** Board of Equalization (SBOE) located at 100 N. 15th Avenue, Suite 130, Phoenix, AZ 85007.
- **IN ALL OTHER COUNTIES:** File this petition with the **COUNTY** Board of Equalization.
- This petition must be filed within twenty-five days after the date of the Assessor's Notice of Change.
- Provide a copy of any additional information being submitted to either the County or State Board of Equalization. **Keep a copy of this form and all information submitted to the Board for your records.**
- The County or State Board of Equalization must rule on all appeals on or before the third Friday in November. If the petitioner is dissatisfied with the County or State Board of Equalization's decision, an appeal with the Superior Court or Tax Court must be filed within 60 days of the mailing of the Board's decision.
- **IMPORTANT: PETITIONER MUST COMPLETE SECTIONS 1 THROUGH 11 WHERE APPLICABLE. PLEASE TYPE OR PRINT.**

1. DATE FILED 10-12-2020 COUNTY APACHE PARCEL NUMBER 106-22-027C ACCOUNT NUMBER R0008829

2. PROPERTY ADDRESS OR LEGAL DESCRIPTION: 40 ACR 3148 SHOW LOW AZ. (VERNON) 85901

3. IF MORE THAN ONE PARCEL IS INVOLVED IN THE APPEAL CHECK THIS BOX  ATTACH A MULTIPLE PARCEL APPEAL FORM (DOR 82131).

4. USE OF PROPERTY: RESIDENTIAL (OWNER OCCUPIED)  RESIDENTIAL (RENTAL)  VACANT LAND   
 AGRICULTURAL  COMMERCIAL / INDUSTRIAL  SPECIFY (OFFICE, WAREHOUSE, ETC.) \_\_\_\_\_

5A. OWNER'S NAME AS SHOWN ON THE NOTICE OF CHANGE  
ELMORE MICHAEL G. AND JUDITH ANN MARTIN  
40 ACR 3148  
Show Low AZ 85901

5B. MAIL DECISION TO: (IF DIFFERENT FROM 5A)  
SAME

6. PETITION COMPLETED BY: (Specify Owner, Agent, Attorney, etc.)  
 NAME / COMPANY NAME Michael G Elmore EMAIL ADDRESS none  
 ADDRESS (CITY, STATE, ZIP CODE) 40 ACR 3148; Show Low, AZ 85901 TELEPHONE NUMBER 928-240-846

**AGENTS ONLY:** Include a copy of a current Agency Authorization Form (82130AA) with this petition.

Real Estate Appraisal Division Number \_\_\_\_\_ SBOE Number \_\_\_\_\_ (PIMA AND MARICOPA COUNTIES ONLY)

7. **BASIS FOR THIS PETITION:** Provide evidence for appealing the Assessor's Notice of Change. Include the parcel number(s) of other properties used in your appeal. Specify if the appeal is based upon one or more of the following methods of valuation:  
 MARKET SALES APPROACH  COST APPROACH  INCOME APPROACH

We built a garage (shell) for \$10,000 and when the property was re-assessed, the Assessor doubled the value of our improvements. We are on a fixed income.

	ORIGINAL VALUE	FULL CASH VALUE	LIMITED PROPERTY VALUE	PROPERTY CLASS	ASSMT. RATIO
6.		\$ 114,914	\$ 114,914	03.1	.10
9.	AMENDED VALUE	\$ 204,529	\$ 155,156	03.1	.10
10.	OWNER'S OPINION OF VALUE	\$ 182,000	\$ 182,000	03.1	.10

11. I HEREBY AFFIRM THAT ALL THE INFORMATION HEREIN IS TRUE AND CORRECT.

x Michael G. Elmore  
 SIGNATURE OF PROPERTY OWNER OR REPRESENTATIVE  
 TELEPHONE 928-240-8461

IN PIMA AND MARICOPA COUNTIES ONLY: Check here  if you want this appeal to be heard "On The Record". This means that neither you nor the Assessor will appear in person before the State Board of Equalization to offer oral testimony. Submit any additional written or typed information with this form.

FOR OFFICIAL USE ONLY	12. COUNTY BOARD OF EQUALIZATION	FULL CASH VALUE \$ 199,967	LIMITED PROPERTY VALUE \$	PROPERTY CLASS	ASSMT. RATIO
	13. BASIS FOR DECISION:	<u>Based on stipulated agreement between Assessor's office &amp; Petitioner.</u>			
DATE RECEIVED	DATE DECISION MAILED	CHAIRMAN OR CLERK OF THE BOARD			

**PETITION FOR REVIEW OF NOTICE OF CHANGE**

PURSUANT TO A.R.S. §§ 42-15105, 42-16105, 42-16108, 42-16157, 42-16165 & 42-16205

FOR OFFICIAL USE ONLY

**RECEIVED**

OCT 19 2020

**See Instructions for complete filing requirements**

- This Petition must be filed within twenty-five days after the date of the Assessor's Notice of Change.
- Keep a copy of this form and all information submitted to the Board for your records.
- **IMPORTANT: PETITIONER MUST COMPLETE SECTIONS 1 THROUGH 11 WHERE APPLICABLE. PLEASE TYPE OR PRINT.**

Board of Supervisors  
Pima County, AZ

1. DATE FILED 10/19/20 COUNTY Apache PARCEL # 203-21-006F OR ACCOUNT # \_\_\_\_\_  
 2. PROPERTY ADDRESS OR LEGAL DESCRIPTION: 1780 North 24th West, St. Johns, AZ  
 3.  CHECK HERE IF MORE THAN ONE PARCEL IS INVOLVED IN THE APPEAL. ATTACH A MULTIPLE PARCEL APPEAL FORM (DOR 82131).  
 4. USE OF PROPERTY:  RESIDENTIAL (OWNER OCCUPIED)  RESIDENTIAL (RENTAL)  VACANT LAND  
 AGRICULTURAL  COMMERCIAL/INDUSTRIAL SPECIFY (OFFICE, WAREHOUSE, ETC.) \_\_\_\_\_

5A. OWNER'S NAME AS SHOWN ON THE NOTICE OF CHANGE  
Jeffery S. & Denise M. Richins  
P.O. Box 643  
St. Johns, AZ 85936

5B. MAIL DECISION TO: (IF DIFFERENT FROM 5A)  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

6. PETITION COMPLETED BY: (Specify Owner, Agent, Attorney, etc.)  
 NAME/COMPANY NAME Jeff & Denise Richins EMAIL ADDRESS jeff.richins@frontier.com  
 ADDRESS (CITY, STATE, ZIP CODE) P.O. Box 643, St. Johns, AZ 85936 PHONE NUMBER 928-551-7077  
 AGENTS ONLY: Include a copy of a current Agency Authorization Form (82130AA) with this petition.

Real Estate Appraisal Division Number \_\_\_\_\_ SBOE Number \_\_\_\_\_ (PIMA AND MARICOPA COUNTIES ONLY)

7. **BASIS FOR THIS PETITION:** Provide evidence for appealing the Assessor's Notice of Change. Include the parcel number(s) of other properties used in your appeal. Specify if the appeal is based upon one or more of the following methods of valuation:  
 MARKET SALES APPROACH:  COST APPROACH  INCOME APPROACH

Question in the square footage

	ORIGINAL VALUE	FULL CASH VALUE	LIMITED PROPERTY VALUE	PROPERTY CLASS	ASSMT. RATIO
8.		\$ 55,060	\$ 32,793	02.R	.15
9.	AMENDED VALUE	\$ 461,861	\$ 348,613	Mix	.10
10.	OWNER'S OPINION OF VALUE	\$ 300,000	\$	Mix	.10

IN PIMA AND MARICOPA COUNTIES ONLY: If you want this appeal to be heard "on the record" (OTR), check here and submit any additional written or typed information with this form. Both parties must agree to an OTR hearing. This means that neither you nor the Tax Officer will appear in person before the State Board of Equalization to offer oral testimony

11. I HEREBY AFFIRM THAT ALL THE INFORMATION HEREIN IS TRUE AND CORRECT.  
 X Denise M. Richins SIGNATURE OF PROPERTY OWNER OR REPRESENTATIVE PHONE NUMBER 928-245-9579

12. COUNTY BOARD OF EQUALIZATION	FULL CASH VALUE	LIMITED PROPERTY VALUE	PROPERTY CLASS	ASSMT. RATIO
	\$ 436,148	\$		

13. BASIS FOR DECISION: Based on both Assessor's office & Petitioner agreement.

DATE RECEIVED \_\_\_\_\_ DATE DECISION MAILED \_\_\_\_\_ CHAIRMAN OR CLERK OF THE BOARD \_\_\_\_\_


FOR OFFICIAL USE ONLY

FOR OFFICIAL USE ONLY

**PETITION FOR REVIEW OF NOTICE OF CHANGE**

PURSUANT TO A.R.S. §§ 42-15105, 42-16105, 42-16108, 42-16157, 42-16165 & 42-16205

**See Instructions for complete filing requirements**



- This Petition must be filed within twenty-five days after the date of the Assessor's Notice of Change.
- Keep a copy of this form and all information submitted to the Board for your records.
- **IMPORTANT: PETITIONER MUST COMPLETE SECTIONS 1 THROUGH 11 WHERE APPLICABLE. PLEASE TYPE OR PRINT.**

1. DATE FILED 10/19/2020 COUNTY Apache PARCEL # 203-39-009G OR ACCOUNT # R0107599  
 2. PROPERTY ADDRESS OR LEGAL DESCRIPTION: 1990 W CLEVELAND ST, SW SEC 29 TNSP13N R288E S1/2 NE1/4 SW1/4  
 3.  CHECK HERE IF MORE THAN ONE PARCEL IS INVOLVED IN THE APPEAL. ATTACH A MULTIPLE PARCEL APPEAL FORM (DOR 82131).  
 4. USE OF PROPERTY:  RESIDENTIAL (OWNER OCCUPIED)  RESIDENTIAL (RENTAL)  VACANT LAND  
 AGRICULTURAL  COMMERCIAL/INDUSTRIAL SPECIFY (OFFICE, WAREHOUSE, ETC.) \_\_\_\_\_

5A. OWNER'S NAME AS SHOWN ON THE NOTICE OF CHANGE  
CROSBY, KARSON AND CLARYCE  
PO BOX 1350  
ST. JOHNS, AZ 85936

5B. MAIL DECISION TO: (IF DIFFERENT FROM 5A)  
 \_\_\_\_\_  
 \_\_\_\_\_

6. PETITION COMPLETED BY: (Specify Owner, Agent, Attorney, etc.)  
 NAME/COMPANY NAME KARSON AND CLARYCE CROSBY (OWNERS) EMAIL ADDRESS 4CLARYCE@GMAIL.COM  
 ADDRESS (CITY, STATE, ZIP CODE) PO BOX 1350 ST. JOHNS, AZ 85936 PHONE NUMBER (928) 245-6886

**AGENTS ONLY:** Include a copy of a current Agency Authorization Form (82130AA) with this petition.

Real Estate Appraisal Division Number \_\_\_\_\_ SBOE Number \_\_\_\_\_ (PIMA AND MARICOPA COUNTIES ONLY)

7. **BASIS FOR THIS PETITION:** Provide evidence for appealing the Assessor's Notice of Change. Include the parcel number(s) of other properties used in your appeal. Specify if the appeal is based upon one or more of the following methods of valuation:  
 MARKET SALES APPROACH  COST APPROACH  INCOME APPROACH

SEE ATTACHED:  
MARKET SALES APPROACH DATA SUPPLIED FOR HOME  
COST APPROACH DATA SUPPLIED FOR SHOP

	ORIGINAL VALUE	FULL CASH VALUE	LIMITED PROPERTY VALUE	PROPERTY CLASS	ASSMT. RATIO
8.		\$ 40,820	\$ 25,824	2.R	.15
9.	AMENDED VALUE	\$ 589,395	\$ 458,019	M	.1
10.	OWNER'S OPINION OF VALUE	\$ 293,222	\$ 222,438	M	.1

IN PIMA AND MARICOPA COUNTIES ONLY: If you want this appeal to be heard "on the record" (OTR), check here and submit any additional written or typed information with this form. Both parties must agree to an OTR hearing. This means that neither you nor the Tax Officer will appear in person before the State Board of Equalization to offer oral testimony

11. I HEREBY AFFIRM THAT ALL THE INFORMATION HEREIN IS TRUE AND CORRECT.

X *Claryce Crosby* PHONE NUMBER (928) 245-6886  
 SIGNATURE OF PROPERTY OWNER OR REPRESENTATIVE

12. COUNTY BOARD OF EQUALIZATION	FULL CASH VALUE	LIMITED PROPERTY VALUE	PROPERTY CLASS	ASSMT. RATIO
	\$ 350,715	\$ 271,944		
13. BASIS FOR DECISION: <u>Based on a stipulated agreement FCU</u>				
<u>set @ 350,715</u>				
DATE RECEIVED	DATE DECISION MAILED	CHAIRMAN OR CLERK OF THE BOARD		

OFFICIAL PROCEEDINGS OF THE APACHE COUNTY  
BOARD OF EQUALIZATION HEARING

November 9, 2020

St. Johns, Arizona

Hearing Officer Charles Johnson conducted the hearings.

Hearing Officer Johnson provided an overview of the proceedings and protocol. All hearings were held in the Board of Supervisors chambers, County Annex Building, 75 West Cleveland Street, St. Johns, Arizona. Petitioners and Assessor's Office staff were all administered the oath. Hearings began at 1:00 p.m.

Petition for Review of Notice of Change for Kevin & Karen Lee, parcel 203-20-021B. Petitioner was not present, and the Assessor's Office was represented by Ruben Aranda who recommended a decrease from a stipulated agreement with the Lees to \$172,904. Based on the information and evidence provided by the Assessor's Office and petitioner's appeal documents, Hearing Officer Johnson determined the Full Cash Value for the subject property be set at \$172,904 for 2021.

Petition for Review of Notice of Change for Merrie Wolslagel, parcel 101-72-019. Petitioner was not present, and the Assessor's Office was represented by Ruben Aranda who stated the petitioner submitted an email to the Board of Equalization requesting to retract her appeal due to the only issue she had was to change the legal class on the subject property. Based on the information and evidence provided by the Assessor's Office and petitioner's appeal documents, Hearing Officer Johnson determined a no change be entered regarding the subject property for 2021.

Petition for Review of Notice of Change for Michael Elmore & Judith Martin, parcel 106-22-027C. Petitioner was not present, and the Assessor's Office was represented by Ruben Aranda who recommended a decrease from \$204,529 to \$199,967. Based on the proffered stipulated agreement by the Assessor's Office and petitioner, Hearing Officer Johnson determined the Full Cash Value for the subject property be set at \$199,967 for 2021.

Petition for Review of Notice of Change for Jeffrey & Denise Richins, parcel 203-21-006F. Petitioner Denise Richens was present, and the Assessor's Office was represented by Ruben Aranda who recommended a decrease in valuation from \$461,861 to \$436,148. A discussion was held regarding the square footage. Hearing Officer Johnson asked the petitioner if they were in agreement with the decrease in valuation. Mrs. Richins stated yes. Based on the information and evidence presented by the Assessor's Office and petitioner; Hearing Officer Johnson determined the Full Cash Value for the subject property be set at \$436,148 and Limited Property Value of \$328,120 for 2021.

Petition for Review of Notice of Change for Karson & Claryce Crosby, parcel 203-39-009G. Petitioner was present, and the Assessor's Office was represented by Ruben Aranda who recommended a decrease in valuation from \$589,995 to \$350,715 with the Limited Property Value of \$271,944. Hearing Officer Johnson asked the petitioner if they were in agreement. Mr.

& Mrs. Crosby agreed to the stated valuation for 2021. Based on the information and evidence proffered by the Assessor's Office and petitioner, Hearing Officer Johnson determined the Full Cash Value for the subject property be set at \$350,715 with a Limited Property Value of \$271,944 for 2021.

Hearing concluded at 1:56 p.m.

**BOARD OF SUPERVISOR'S AGENDA ITEM REVIEW FORM**

date/time stamp

Submitter's Name: (Individual, Organization, or County Department)

Angela Romero/Election Department \_\_\_\_\_

Date/Signature: 11/16/20 Angela C. Romero \_\_\_\_\_

Describe in detail what you want to say to the Board and what action you want the Board to take:

- 1. Discussion and possible approval of the Canvass of the November 3, 2020 General Election.

BOS Meeting Date Requested 11/18/20

**PRE-AGENDA ITEM REVIEW**

Review Routing / /Legal / /Finance / /Purchasing / /Human Resource / /Other: \_\_\_\_\_

Legal Review: Submitted to Attorney Joe Young \_\_\_\_\_

\_\_\_\_\_  
Signature: \_\_\_\_\_

Finance Review: \_\_\_\_\_

\_\_\_\_\_  
Signature: \_\_\_\_\_

Purchasing Review: \_\_\_\_\_

\_\_\_\_\_  
Signature: \_\_\_\_\_

Human Resources Review: \_\_\_\_\_

\_\_\_\_\_  
Signature: \_\_\_\_\_

Other Review: \_\_\_\_\_

\_\_\_\_\_  
Signature: \_\_\_\_\_

Reviews completed, item approved for Agenda. Supervisor/Board Clerk's Initials \_\_\_\_\_

**BOARD ACTION TAKEN**

/ /Approved / /Disapproved / /Deleted / /Continued to: \_\_\_\_\_

\_\_\_\_\_


Apache County Board of Supervisors  
AGENDA ITEM REVIEW FORM

date/time stamp

Submitter's Name: (Individual, Organization, or County Department)

ENGINEERING

Date/Signature 11/9/20



Describe in detail what you want to say to the Board and what action you want the Board to take: DISCUSSION AND POSSIBLE APPROVAL TO AUTHORIZE THE COUNTY MANAGER TO SIGN UPDATED STATE OF ARIZONA SURPLUS PROPERTY SIGNER FORM.

PRE-AGENDA ITEM REVIEW

Review Routing / /Legal / /Finance / /Purchasing / /Human Resource / /Other: \_\_\_\_\_

Legal Review: OK - Per Joe Young  
Signature: \_\_\_\_\_

Finance Review: \_\_\_\_\_  
Signature: \_\_\_\_\_

Human Resources Review: \_\_\_\_\_  
Signature: \_\_\_\_\_

Other Review: \_\_\_\_\_  
Signature: \_\_\_\_\_

Reviews completed, item approved for Agenda. Supervisor/Board Clerk's Initials \_\_\_\_\_

<b>AUTHORIZATION AND UPDATE FOR ELIGIBILITY RECERTIFICATION &amp; RECORDS UPDATE FEDERAL SURPLUS PROPERTY PGM.</b>  (Please Type all information)	<b>STATE OF ARIZONA SURPLUS PROPERTY MANAGEMENT OFFICE</b> 1537 W. Jackson Street, Phoenix, AZ 85007  <b>Tel.: (602) 542-5701</b>		<b>(AGENCY USE ONLY)</b>
			DATE FORM SENT
			DONEE NO.
FEDERAL ID NO.		PERSON UPDATING RECORDS (AGENCY USE ONLY)	
PUBLIC AGENCY OR LEGAL ORGANIZATION NAME		PHONE NO.	
FACILITY ADDRESS		FAX NO.	
MAILING ADDRESS		CITY/STATE/ZIP CODE	
PERSON'S NAME AND EMAIL ADDRESS COMPLETING THIS FORM		TITLE	

**INSTRUCTIONS:** This form is required for recertification, records update and a current list of authorized signers.

**1. REQUIREMENT OF THE BOARD RESOLUTION OR WRITTEN AUTHORIZATION:**

If a board resolution is not required to designate representatives as authorized signers for government surplus property, then by written authorization, the authorized official with the title of President, Board Chairperson, Mayor, State Agency Director, or a comparable authority an executive head of your organization may designate authorized signers on this form.

The signature of the appropriate authorized official does hereby attest authority given their authorized signers to execute the State Agency Distribution Document Invoice of Terms and Conditions established by this office and The General Services Administration: including the authority to obligate funds for the purchase of government surplus property.

AUTHORIZED OFFICIAL	TITLE
SIGNATURE	DATE

**2. (ALL) AUTHORIZED SIGNERS FOR GOVERNMENT SURPLUS PROPERTY: (PREVIOUSLY LISTED NAMES NOT RELISTED WILL BE DELETED)**

NAME	TITLE	SIGNATURE	EMAIL ADDRESS

- I would like to retain our original authorized signers listed in our latest Authorization and Update Form and only add additional authorized signers(s).
- New or additional authorized signers exceed the space provided in this form, I have attached an addendum list.
- 3. REQUEST FOR INFORMATION AND/OR DOCUMENTS:**
- NO     YES    A. If information and/or documents are required to accompany this form the "YES" box will be checked  
If Yes, refer to the enclosed instruction form.
- NO     YES    B. Does your agency or organization require a purchase order to obtain surplus property?
- NO     YES    C. Has your agency added satellite or group homes, or other educational or health programs since your last update to this office? If "YES" contact the eligibility section. Also, you will be required to submit current license of your added extension facility and provide a complete detail narrative of your facility and added programs.
- D. Please list below the names and phone numbers of persons this office may contact for the following:

1. BILLING PROBLEMS	3. UPDATING INFORMATION
2. COMPLIANCE VISIT	4. OTHER (DESCRIBE)

Forward the completed form to the attention of the Eligibility Section. If you have questions, phone (602) 542-5701.

Apache County Board of Supervisors  
AGENDA ITEM REVIEW FORM

date/time stamp

Submitter's Name: (Individual, Organization, or County Department)

ENGINEERING

Date/Signature 11/9/20



Describe in detail what you want to say to the Board and what action you want the Board to take: DISCUSSION AND POSSIBLE APPROVAL TO PURCHASE NEW DUMP TRUCK FROM RUSH PETERBILT FOR A COST OF \$ 191,103.59. SOURCEWELL CONTRACT # 06-18 USING DISTICT III CARRYOVER FUNDS

PRE-AGENDA ITEM REVIEW

Review Routing / /Legal / /Finance / /Purchasing / /Human Resource / /Other: \_\_\_\_\_

Legal Review: OK - Joe Young

Signature: \_\_\_\_\_

Finance Review: \_\_\_\_\_

Signature: 

Human Resources Review: \_\_\_\_\_

Signature: \_\_\_\_\_

Other Review: \_\_\_\_\_

Signature: \_\_\_\_\_

Reviews completed, item approved for Agenda.

Supervisor/Board Clerk's Initials \_\_\_\_\_



Rush Truck Center, Phoenix  
 9600 W. Roosevelt St.  
 Tolleson, AZ 85353  
 602-422-8100

*Simple 14 Dump*  
*Purchase w/ SALES TAX*

**Retail Sales Order**

SALES ORDER		APACHE COUNTY		Date
Please enter my order for the following: <input checked="" type="checkbox"/> New <input checked="" type="checkbox"/> F.E.T. Applicable <input type="checkbox"/> Used <input type="checkbox"/> F.E.T. Exempt		Date <b>11/03/2020</b>		
Make	Peterbilt	Series	567	Customer's Name
Year	2022	Body Type	DP Simple 14 Dump	P.O. BOX 428
Color	WHITE	Trim	Prestige	ST. JOHNS AZ 85936
Serial #				Street
Stock #				86-6000385
To be delivered on or about	2/26/2021			City
New 2022 Peterbilt Model 567 as per attached specifications QUO-731385-C2J7M7 dated 11-3-2020				ST. JOHNS
				State
				AZ
				Zip
				85936
				Street
				City
				State
				AZ
				Zip
				85936
				Street
				City
				State
				AZ
				Zip
				85936
				Street
				City
				State
				AZ
				Zip
				85936
				Street
				City
				State
				AZ
				Zip
				85936
				Street
				City
				State
				AZ
				Zip
				85936
				Street
				City
				State
				AZ
				Zip
				85936
				Street
				City
				State
				AZ
				Zip
				85936
				Street
				City
				State
				AZ
				Zip
				85936
				Street
				City
				State
				AZ
				Zip
				85936
				Street
				City
				State
				AZ
				Zip
				85936
				Street
				City
				State
				AZ
				Zip
				85936
				Street
				City
				State
				AZ
				Zip
				85936
				Street
				City
				State
				AZ
				Zip
				85936
				Street
				City
				State
				AZ
				Zip
				85936
				Street
				City
				State
				AZ
				Zip
				85936
				Street
				City
				State
				AZ
				Zip
				85936
				Street
				City
				State
				AZ
				Zip
				85936
				Street
				City
				State
				AZ
				Zip
				85936
				Street
				City
				State
				AZ
				Zip
				85936
				Street
				City
				State
				AZ
				Zip
				85936
				Street
				City
				State
				AZ
				Zip
				85936
				Street
				City
				State
				AZ
				Zip
				85936
				Street
				City
				State
				AZ
				Zip
				85936
				Street
				City
				State
				AZ
				Zip
				85936
				Street
				City
				State
				AZ
				Zip
				85936
				Street
				City
				State
				AZ
				Zip
				85936
				Street
				City
				State
				AZ
				Zip
				85936
				Street
				City
				State
				AZ
				Zip
				85936
				Street
				City
				State
				AZ
				Zip
				85936
				Street
				City
				State
				AZ
				Zip
				85936
				Street
				City
				State
				AZ
				Zip
				85936
				Street
				City
				State
				AZ
				Zip
				85936
				Street
				City
				State
				AZ
				Zip
				85936
				Street
				City
				State
				AZ
				Zip
				85936
				Street
				City
				State
				AZ
				Zip
				85936
				Street
				City
				State
				AZ
				Zip
				85936
				Street
				City
				State
				AZ
				Zip
				85936
				Street
				City
				State
				AZ
				Zip
				85936
				Street
				City
				State
				AZ
				Zip
				85936
				Street
				City
				State
				AZ
				Zip
				85936
				Street
				City
				State
				AZ
				Zip
				85936
				Street
				City
				State
				AZ
				Zip
				85936
				Street
				City
				State
				AZ
				Zip
				85936
				Street
				City
				State
				AZ
				Zip
				85936
				Street
				City
				State
				AZ
				Zip
				85936
				Street
				City
				State
				AZ
				Zip
				85936
				Street
				City
				State
				AZ
				Zip
				85936
				Street
				City
				State
				AZ
				Zip
				85936
				Street
				City
				State
				AZ
				Zip
				85936
				Street
				City
				State
				AZ
				Zip
				85936
				Street
				City
				State
				AZ
				Zip
				85936
				Street
				City
				State
				AZ
				Zip
				85936
				Street
				City
				State
				AZ
				Zip
				85936
				Street
				City
				State
				AZ
				Zip
				85936
				Street
				City
				State
				AZ
				Zip
				85936



**Rush Truck Center, Phoenix**

9600 W. Roosevelt St.  
Tolleson, AZ 85353  
602-422-8100

**Retail Sales Order**

**TERMS AND CONDITIONS**

**1. Parties to Order; Definitions.** As used in this Retail Sales Order ("Order"), the terms: (a) "Dealer" shall mean the Rush Dealer identified at the top of the first page of this Order; (b) "Customer" shall mean the Customer identified on the first page of this Order; (c) "Manufacturer(s)" shall mean the entity or entities that manufactured the Product(s), it being understood by Customer that Dealer is in no respect the agent of Manufacturer(s); and (d) "Product(s)" shall mean the new and/or used vehicle or other components, accessories or products, which are being purchased by Customer, as set forth in this Order.

**2. WARRANTY DISCLAIMERS AND LIMITATIONS**

**NEW PRODUCTS – MANUFACTURER WARRANTIES ONLY.** Any warranties on any new Product(s) sold under this Order are limited only to any printed Manufacturers' warranties delivered to Customer with the Product(s). EXCEPT FOR ANY SUCH WARRANTIES MADE BY MANUFACTURERS, THE PRODUCT(S) ARE SOLD WITHOUT ANY OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, EACH OF WHICH IS EXPRESSLY DISCLAIMED.

**USED PRODUCTS – NO WARRANTIES.** All used Product(s) sold under this Order are sold on an "AS IS, WHERE IS" basis, without any warranties by Dealer, provided that Products that are sold by Dealer as "Certified Pre-Owned" are subject to the express written terms and conditions of the Dealer's certified pre-owned program. EXCEPT FOR ANY MANUFACTURERS' WARRANTIES THAT MAY STILL BE IN EFFECT, ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE EXPRESSLY DISCLAIMED.

**LIMITED WARRANTY ON SERVICES.** Dealer warrants that all services performed by Dealer for Customer in conjunction with the sale of the Product(s), including if applicable installation, upfitting and conversion services ("Services"), will be performed in a good and workmanlike manner ("Services Warranty"). The Services Warranty is valid for a period of ninety (90) days from the date the Product(s) is delivered to Customer. Customer's sole and exclusive remedy, and Dealer's entire liability, under the Services Warranty is the repair of any nonconforming portion of the Services. DEALER PROVIDES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, CONCERNING ITS SERVICES. The Services Warranty is strictly limited to Services performed by Dealer for Customer. Dealer does not warrant any services provided by any third-party, including but not limited to installation, upfitting or conversion services. Any warranties are solely those that are provided by the third-party service provider.

**NO OTHER WARRANTIES.** EXCEPT AS SET FORTH ABOVE, DEALER EXPRESSLY DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED.

**3. Reappraisal of Trade-In Vehicle.** If the motor vehicle which has been traded in ("Trade-In Vehicle") as a part of the consideration for the Product(s) ordered hereunder is not to be delivered to Dealer until delivery to Customer of the Product(s), the Trade-In Vehicle shall be reappraised at that time and such reappraised value shall determine the allowance made for the Trade-In Vehicle. If the reappraised value is lower than the original allowance shown on the front of this Order, Customer may, if dissatisfied, cancel this Order.

**4. Delivery of Trade-In Vehicle by Customer; Customer Warranty of Title.** Customer agrees to deliver to Dealer satisfactory evidence of title to the Trade-In Vehicle at the time of delivery of the Trade-In Vehicle to Dealer. Customer warrants the Trade-In Vehicle to be Customer's property free and clear of all liens and encumbrances.

**5. Delay or Failure in Delivery; Limitation of Dealer Liability.** Dealer shall not be liable for failure to deliver or delay in delivering any Product(s) covered by this Order where such failure or delay is due, in whole or in part, to any cause beyond the reasonable control, or is without the gross negligence or intentional misconduct, of Dealer. Examples of causes beyond Dealer's reasonable control include, but are not limited to, Manufacturers' delay or failure to deliver Product(s) for any reason, earthquake, hurricane or other natural disaster, fire, war, terrorist act, labor dispute, strike, etc.

**6. Liability for Taxes.** The price for the Product(s) specified on the face of this Order includes reimbursement to Dealer for federal excise taxes paid, but does not include sales or use taxes or occupational taxes based on sales volume (federal, state or local) unless expressly so stated. Customer assumes and agrees to pay, unless prohibited by law, any such sales or use or occupational taxes imposed on or applicable to the transaction covered by this Order, regardless of which party may have primary tax liability thereof.

**7. Customer's Deposit.** Any Customer's deposit, whether cash or Trade-In Vehicle, shall not be refunded except due to Dealer's failure to deliver the Product(s).

**8. Risk of Loss; Insurance.** Customer shall assume all risk of loss relating to the Product(s) at the time Customer receives possession of the Product(s), or at the time Customer receives title to the Product(s) if title is conveyed before Customer receives possession. Customer shall obtain insurance for the Product(s) that will be in effect at the time Customer takes possession of the Product(s), or at the time Customer receives title to the Product(s) if title is conveyed before the Customer receives possession. Dealer shall have no responsibility or liability related to the Product(s) after Customer receives either possession or title to the Product(s).

**9. Governing Law; Venue; Time to Commence Action.** Except to the extent that the laws of the United States may apply or otherwise control this Order, the rights and obligations of the parties hereunder shall be governed by, and construed and interpreted in accordance with, the laws of the state in which Dealer is located, without regard to conflict of law principles. The mandatory venue for any claim, litigation, civil action or any other legal or administrative proceeding ("Action") involving any controversy or claim between or among the parties to this Order, is the state in which Dealer is located. Customer has one (1) year from the accrual of any cause of action arising from the purchase of the Product(s) to commence an Action against Dealer.

**10. Limitation of Damages.** Customer agrees that in the event of any Action brought by Customer against Dealer, Customer shall not be entitled to recover any incidental or consequential damages as defined in the Uniform Commercial Code, including but not limited to indirect or special damages, loss of income or anticipated profits, or down-time, or any punitive damages.

**11. Fees and Expenses of Actions.** In any Action, whether initiated by Dealer or Customer, where the Customer has a right, pursuant to statute, common law or otherwise, to recover reasonable attorneys' fees and costs in the event it prevails, Customer agrees that Dealer shall have the same right to recover reasonable attorneys' fees and costs incurred in connection with the Action in the event that Dealer prevails.

**12. Execution and Delivery by Electronic Transmission.** If this Order or any document executed in connection with this Order is delivered by facsimile, email or similar instantaneous electronic transmission device pursuant to which the signature of or on behalf of such party can be seen, such execution and delivery shall be considered valid, binding and effective for all purposes as an original document. Additionally, the signature of any party on this Order transmitted by way of a facsimile machine or email shall be considered for all purposes as an original signature. Any such faxed or emailed document shall be considered to have the same binding legal effect as an original document. At the request of Dealer, any faxed or emailed document shall be re-executed by Customer in an original form.

**13. Waiver; Severability.** No waiver of any term of this Order shall be valid unless it is in writing and signed by Dealer's authorized representative. If any provision or part of any provision of this Order shall be deemed to violate any applicable law or regulation, such invalid provision or part of a provision shall be inapplicable, BUT the remaining part of that provision and the remainder of the Order shall continue to be binding and enforceable.

**14. No Broker; Manufacturer Incentives.** If at any time Dealer determines that the Customer intends to engage in the resale of vehicles for profit, where such resale is not in conjunction with further manufacturing, Dealer reserves the right to cancel this Order. Certain manufacturer incentives are intended to be used for retail customers at the location as identified by the Customer in this Order. Customer represents that they will register the vehicle with their state motor vehicle department and are not purchasing this vehicle with the intent to resell/export the vehicle, except where such resale is in conjunction with further manufacturing. If at any time Dealer determines that the foregoing representations are not true, Dealer has the right to seek repayment of any manufacturer incentives that are paid.

**15. Communication Consent.** Dealer and any other owner or servicer of this account may use any information Customer gives Dealer, including but not limited to email addresses, cell phone numbers, and landline numbers, to contact Customer for purposes related to this account, including debt collection and marketing purposes. In addition, Customer expressly consents to any such contact being made by the most efficient technology available, including but not limited to, automated dialing equipment, automated messages, and prerecorded messages, even if Customer is charged for the contact.

Customer Initial \_\_\_\_\_

# Rush Privacy Policy

For Nonpublic Personal Information Disclosed in Connection with the Provision of Financial Products or Services

<b>FACTS</b>	<b>WHAT DOES RUSH TRUCK CENTERS DO WITH YOUR PERSONAL INFORMATION?</b>
--------------	--

<b>WHY?</b>	Financial companies choose how they share your personal information. Federal law gives consumers the right to limit some but not all sharing. Federal law also requires us to tell you how we collect, share, and protect your personal information. Please read this notice carefully to understand what we do.
-------------	--

<b>What?</b>	The types of personal information we collect and share depend on the product or service you have with us. This information can include: <ul style="list-style-type: none"> <li>• Social Security number and income</li> <li>• Account balances and payment history</li> <li>• Credit history and employment information</li> </ul> When you are <i>no longer</i> our customer, we continue to share your information as described in this notice.
--------------	---

<b>How?</b>	All financial companies need to share customers' personal information to run their everyday business. In the section below, we list the reasons financial companies can share their customers' personal information; the reasons Rush Truck Centers chooses to share; and whether you can limit this sharing.
-------------	---

Reasons we can share your personal information	Does Rush Truck Centers share?	Can you limit this sharing?
<b>For our everyday business purposes-</b> Such as to process your transactions, maintain your account(s), respond to court orders and legal investigations, or report to credit bureaus	Yes	No
<b>For our marketing purposes-</b> To offer our products and services to you	Yes	No
<b>For joint marketing with other financial companies</b>	Yes	No
<b>For our affiliates' everyday business purposes-</b> Information about your transactions and experiences	Yes	No
<b>For our affiliates' everyday business purposes-</b> Information about your creditworthiness	No	We don't share
<b>For our affiliates to market to you</b>	No	We don't share
<b>For nonaffiliates to market to you</b>	No	We don't share

<b>Questions?</b>	Call (830) 626-5249
-------------------	---------------------

**Who we are**

**Who is providing this notice?** Rush Enterprises, Inc. and its wholly owned subsidiaries. See "Other Important information" below for a listing of companies.

<b>What we do</b>	
<b>How does Rush Truck Centers protect my personal information?</b>	To protect your personal information from unauthorized access and use, we use security measures that comply with federal law. These measures include computer safeguards and secured files and buildings.
<b>How does Rush Truck Centers collect my personal information?</b>	We collect your personal information, for example, when you <ul style="list-style-type: none"> <li>▪ apply for financing</li> <li>▪ give us your income information or provide employment information</li> <li>▪ provide account information or give us your contact information</li> </ul> We also collect your personal information from others, such as credit bureaus, affiliates, or other companies.
<b>Why can't I limit all sharing?</b>	Federal law gives you the right to limit only <ul style="list-style-type: none"> <li>▪ sharing for affiliates' everyday business purposes-information about your creditworthiness</li> <li>▪ affiliates from using your information to market to you</li> <li>▪ sharing for nonaffiliates to market to you</li> </ul> State laws and individual companies may give you additional rights to limit sharing.

<b>Definitions</b>	
<b>Affiliates</b>	Companies related by common ownership or control. They can be financial and nonfinancial companies.
<b>Nonaffiliates</b>	Companies not related by common ownership or control. They can be financial and nonfinancial companies.  Rush does not share with nonaffiliates so they can market to you.
<b>Joint marketing</b>	A formal agreement between nonaffiliated financial companies that together market financial products or services to you. <ul style="list-style-type: none"> <li>▪ Includes lenders, finance companies and financial service providers</li> </ul>

<b>Other important information</b>
<ul style="list-style-type: none"> <li>• This notice is made by Rush Enterprises, Inc. and its wholly owned subsidiaries in the Rush Truck Centers' family of companies: Rush Administrative Services, Inc., Rush Truck Centers of Alabama, Inc., Rush Truck Centers of Arizona, Inc., Rush Truck Centers of California, Inc., Rush Truck Centers of Colorado, Inc., Rush Truck Centers of Florida, Inc., Rush Truck Centers of Georgia, Inc., Rush Truck Centers of Idaho, Inc., Rush Truck Centers of New Mexico, Inc., Rush Truck Centers of North Carolina, Inc., Rush Truck Centers of Ohio, Inc., Rush Truck Centers of Oklahoma, Inc., Rush Truck Centers of Oregon, Inc., Rush Truck Centers of Tennessee, Inc., Rush Truck Centers of Texas, LP and Rush Truck Centers of Utah, Inc., Rush Truck Centers of Virginia, Inc.</li> <li>• This Privacy Policy does not apply to information obtained in a non-financial transaction.</li> </ul>



Rush Trk Ctrs Of Arizona (A265)  
 9600 West Roosevelt St  
 Tolleson, Arizona 85353

Apache County  
 PO Box 428  
 St. Johns, Arizona 85936  
 United States of America

John Greener  
 Cell Phone: 602-828-2995  
 Office Phone: 602-422-8100  
 Email: greenerj@rush-enterprises.com

Dale Hauser

### Vehicle Summary

Unit		Chassis	
Model:	Model 567	Fr Axle Load (lbs):	20000
Type:	Full Truck	Rr Axle Load (lbs):	46000
Description 1:	STOCK 567 SIMPLE 16	G.C.W. (lbs):	80000
Description 2:	Clone of Chassis 750472 Model 567		
<b>Application</b>		<b>Road Conditions:</b>	
Intended Serv.:	Construction Dump-On/Off Highway	Class A (Highway)	98
Commodity:	Construction Materials	Class B (Hwy/Mtn)	2
		Class C (Off-Hwy)	0
		Class D (Off-Road)	0
<b>Body</b>		Maximum Grade:	6
Type:	End Dump	Wheelbase (in):	260
Length (ft):	18	Overhang (in):	60
Height (ft):	8	Fr Axle to BOC (in):	86.2
Max Laden Weight (lbs):	40000		
		Cab to Axle (in):	173.8
		Cab to EOF (in):	233.8
		Overall Comb. Length (in):	349
<b>Trailer</b>		<b>Special Req.</b>	
No. of Trailer Axles:	0		
Type:			
Length (ft):	0		
Height (ft):	0		
Kingpin Inset (in):	0		
Corner Radius (in):	0		
<b>Restrictions</b>			
Length (ft):	40		
Width (in):	102		
Height (ft):	13.5		

Approved by: \_\_\_\_\_

Date: \_\_\_\_\_

Note: All sales are F.O.B. designated plant of manufacture.



Std/ Opt	Description	Weight
<b>Base Model</b>		
S	<b>Model 567</b> The Model 567 is available in both a set-forward and set-back front axle configuration to provide customers with maximum versatility for their application requirements. For weight-sensitive applications, the set-forward front axle provides optimized weight distribution and compliance with bridge laws. The Model 567 has steer axle ratings up to 22,000 lbs. The 567 also offers single, tandem or tridem drive axles and a variety of lift axles for added versatility. Available with a 115" or 121" BBC and as a day cab or with a selection of detachable sleeper configurations, the 567 is as versatile as it is reliable.	14,860
O	<b>Construction Materials</b>	0
O	<b>Construction Dump-On/Off Highway</b> Truck or tractor without liftable trailing axle which carries bulk materials (excavated earth, sand/gravel, asphalt, demolition debris, etc.) and unloads by dumping out the back, over the side of the body, or out the bottom of the trailer.	0
O	<b>End Dump</b>	0
O	<b>California Registry</b> California Registry Required for all vehicles that will be registered in the State of California.	0
<b>Configuration</b>		
S	<b>Not Applicable</b> Secondary Manufacturer	0
U	<b>IDENTICAL PREV FRAME LAYOUT CONFIRMED</b>	0
<b>Frame &amp; Equipment</b>		
O	<b>11-5/8" Steel Rails to 444"</b> 11.625 x 3.874 x .375 Dimension, 2,568,000 RBM; Yield Strength: 120,000 psi. Section Modulus: 21.4 cubic inches. Weight: 1.91 lbs/inch pair	525
O	<b>Heavy-Duty Iron Front Spring Brackets</b> Forward and Rear	35
S	<b>Aluminum Frame Rail Crossmembers</b> Excludes suspension	0
O	<b>EOF Square without Crossmember</b> End-of-frame square without crossmember. For use with body builder installed crossmember.	-64
O	<b>Omit Rear Mudflaps and Hangers</b>	-25
<b>Front Axle &amp; Equipment</b>		
O	<b>Dana Spicer D2000F 20,000 lb, 3.5 in. Drop</b> Factory front axle alignment to improve handling & reduce tire wear. Zerk fittings on tie rod ends, king pins, & draglink ball joints for ease of maintenance & help extend service life of components. Cognis	111



Std/ Opt	Description	Weight
	EMGARD® FE 75W-90 synthetic axle lube provides over 1% fuel economy improvement. Reduces wear & extends maintenance intervals, resulting in increased uptime. Provides improved fluid flow to protect components in extreme cold conditions & withstand the stress from high temperatures, extending component life.	
O	<b>Taper Leaf Springs, Shocks 20,000 lb</b> Standard with Heavy Resistance Shocks.	119
O	<b>Power Steering Sheppard HD94 Dual</b> For use with 16,000 to 20,000 lb. axle ratings.	80
O	<b>Power Steering Reservoir Frame Mounted w/Cooler</b> A power steering cooler helps reduce the heat of the power steering fluid. This is commonly used with systems that may experience more stress from towing or off-road driving.	2
O	<b>PHP10 Iron PreSet PLUS Hubs-Air Disc</b> Preset iron hub assemblies are designed for demanding conditions and require less maintenance while still offering dependability and superior performance. Precisely engineered to minimize roller stress under heavy loads and increase bearing life when used in demanding conditions such as wide-based single wheels and misalignment due to spindle wear.	42
O	<b>Severe Service Disc Brake Rotor</b> For refuse applications, providing the braking torque necessary to slow or stop the vehicle.	97
O	<b>Greasable Front Spring Pins</b>	0
S	<b>Bendix Air Disc Front Brakes</b> Bendix air disc front brakes use a floating caliper design to provide foundation braking on all axles and complies with reduced stopping distance regulations.	0
S	<b>Tenneco Shocks For Steer Axle</b> Integrated front suspension to suit heavy duty truck market, combining the air spring and the damper into one module.	0
U	<b>20 MM FRONT SPRING SPACER BLOCKS</b>	0
	<b>70mm Front Spring Spacer Blocks</b>	0
<b>Rear Axle &amp; Equipment</b>		
O	<b>Dana Spicer D46-172 46,000 LBS</b> Dana Spicer D46-172 46,000 lbs tandem drive axles offer efficiency improvement, axle weight reduction and reduced lube quantity.	521
O	<b>(2) Watson-Chalin SL0893SSR 8,000 lb Pushers</b> Includes dust shield and (2) air tanks. Self-Steering Pushers. Parking brakes not included, meaning that the axles will be set to the raised position when the parking brakes are applied. This is without regard to the current position of the in-dash switch.	1,565
O	<b>43in Pusher Axle Spacing</b> From Centerline of Forward Drive Axle	0
O	<b>82" 2nd Pusher Axle Spacing</b> From Centerline of Forward Drive Axle	0



Std/ Opt	Description	Weight
O	<b>6-Stud Iron Hubs, Cast Drums</b> Standard with 8,000 lb Self-Steering Pusher Axles.	0
O	<b>PHP10 Iron Preset + Hubs - Air Disc</b>	0
O	<b>Severe Service Disc Brake Rotor</b> Severe Service Disc Brake Rotor for refuse applications.	14
O	<b>Heavy Wall, Drive Axle(s)</b>	88
O	<b>SBM Valve</b> Full trucks require a spring brake modulation (SBM) system for emergency braking application. This system requires an SBM valve and a relay valve with spring brakes on the rear axles. The SBM valve allows the foot valve to operate the rear axle spring brakes if a failure exists in the rear air system.	0
O	<b>Bendix ESP Electronic Stability Program With ATC</b> Truck, end dump or roll-off 20-30 yard only (requires body manufacturer code). Model 367 set-forward front axle requires 170"-311" wheelbase. Model 365 set-forward front axle and set-back front axle requires 170"-311" wheelbase. Model 348 requires 170" - 311" for tandem axle. System provides added stability and traction by applying brakes when excessive wheel slip or critical stability threshold is detected. This system is ideally suited for this application due to the high center of gravity loads typical for dump trucks and the risk of rollovers.	0
S	<b>Anti-Lock Braking System (ABS) 6S6M</b> ABS-6. Includes air braking system.	0
S	<b>Synthetic Axle Lubricant All Axles</b> Peterbilt heavy duty models include Fuel Efficient Cognis EMGARD FE75W-90 which provides customers performance advantages over current synthetic lubricants with reduced gear wear and extended maintenance intervals, resulting in increased uptime. In addition, the lubricant provides improved fluid flow to protect gears in extreme cold conditions and withstand the stress from high temperatures, extending component life.	0
O	<b>Lift Axle Regulator &amp; Gauge Tie Strap To Rail</b> Lift axle regulator and gauge tie strap to rail, with switch and gauge in dash. Additional gauges in road tools box.	0
O	<b>Air Disc Rear Brakes, Tandem Drive Axle</b> Includes Automatic Slack Adjusters.	0
O	<b>Diff Lock Tandem Axles</b> With Speed Interlock. Automatically Disengages Wheel Diff Lock at Speeds Above 25 mph.	60
O	<b>Ratio 3.58 Rear Axle</b>	0
O	<b>Hendrickson HMX EX 460 46,000 LBS., 54"</b> Haulmaax, 70K Creep Rating	223
O	<b>HMX EX Double Rebound Strap Kit</b>	0
<b>Engine &amp; Equipment</b>		
O	<b>PACCAR MX-13 485@1600 GV@2200 1650@1000</b>	0



Std/ Opt	Description	Weight
	Performance	
N20740 N015	NO....Enable MX Retarder in Neutra	
N20710 N052	650...Idle Target (N052)	
N21310 N718	155...LRSL SPEED LIMIT	
N20690 N711	65....MAX PEDAL SPEED	
N20750 N874	0.1...ENGINE BRAKE DELAY TIME	
N20760 N871	2.....DSC TGT VEH SPD LIMIT OFFSET	
N20770 N870	4.....DSL TGT VEH SPD LIMIT OFFSET	
N20700 N504	65....CC MAX TARGET SPEED	
N20800 N506	16....CC MIN ENABLE SPEED	
N20830 N890	MT....MULTI TORQUE IN CC	
N22000 N509	OFF...Dynamic Cruise Control Enabl	
N20850 N690	5.....EIST STANDSTILL IDLE TIME	
N20840 N689	5.....EIST PARKED MAX IDLE TIME	
N20910 N692	YES...EIST ENGINE LOAD RESET	
N21170 N693	NO....EIST ENGINE LOAD OVERRIDE	
N20900 N688	5.....EIST PTO MAX IDLE TIME	
N21260 N702	YES...EIST OVERRIDE IN PTO MODE	
N20860 N687	40....EIST AMB AIR TEMP OVERRIDE L	
N20870 N686	80....EIST AMB AIR TEMP OVERRIDE H	
N21910 N684	30....EIST CLNT TEMP OVERRIDE LO	
N21230 N699	YES...EIST ACCEL POSITION RESET	
N21250 N701	YES...EIST CLUTCH PEDAL RESET	
N21240 N700	YES...EIST FOOT BRAKE RESET	
N21640 N681	YES...EIST PARK BRAKE RESET ENABLE	
N20940 N726	1900..FIC MAX ENG SPEED	
N21140 N545	YES...PTO Remote Pedal Enable	
N21990 N578	YES...PTO REMOTE PEDAL ENABLE	
N21020 N523	6.....CAB:MAX VEHICLE SPEED	
N21120 N520	2000..Cab: Max Eng Spd- Sw Ctrl	
N21180 N519	2000..Cab: Max Eng Spd- Accel Ctrl	
N21200 N603	650...Cab: Minumum Engine Speed	
N21220 N535	800...Cab: Dedicated Preset "-"	
N21270 N536	900...Cab: Dedicated Preset "+"	
N21110 N553	2000..REM: MAX ENG SPD-SW/ TSC1 CT	
N21980 N552	2000..REM:MAX ENG SPD-CAB/REM ACCE	
N21320 N602	650...REMOTE: MINIMUM ENGINE SPEED	
N21290 N568	800...Remote: Dedicated Preset "-"	
N21490 N569	900...Remote: Dedicated Preset "+"	
N22020 N538	750...Cab Station: Custom Preset 1	
N22040 N540	850...Cab Station: Custom Preset 2	
N22060 N542	950...Cab: Custom Preset 3	
N21950 N637	3.....MIN SPEED FOR DR SHIFT AID	
N21960 N638	1.....LOWEST TRANS GEAR RATIO	
N21970 N639	6.....HIGHEST TRANS GEAR RATIO	
N21930 N618	5.....DRIVER REWARD VEH SPD BONUS	
N21940 N621	-5....DRIVER REWARD VEH SPD PENALT	
N22090 N571	750...Cab/Rem: Custom Preset 1	
N22110 N573	850...Cab/Rem: Custom Preset 2	
N22130 N575	950...Cab/Rem: Custom Preset 3	
N20930 N071	ON....FIC Enable/Disable (N071)	



Std/ Opt	Description	Weight
	N21300 N717 0.....VSL EXPIRATION DISTANCE	
	N21190 N695 0.....EIST EXPIRATION DISTANCE	
	N21010 N549 ON A..CAB: PARK BRAKE INTERLOCK	
	N20990 N546 ON A..CAB: CLUTCH INTERLOCK	
	N21030 N548 ON A..CAB: NEUTRAL INTERLOCK	
	N21150 N550 ON A..Ser Brk Intlk: Preesed = N P	
	N21130 N543 DEDIC.Cab: Preset +/- Switch Type	
	N21600 N580 ON AD.Remote: Clutch Interlock	
	N21700 N582 ON AD.Remote: Neutral Interlock	
	N21710 N584 ON AD.Ser Brk Intlk: Pressed=No PT	
	N21580 N576 DEDIC.Rem: Preset +/- Switch Type	
	N21900 N544 SPD...CAB:ACCEL PEDAL TYPE IN PTO	
	N22010 N537 CNCL..Cab: Custom Preset 1	
	N22030 N539 CNCL..Cab: Custom Preset 2 Functio	
	N22050 N541 CNCL..Cab: Custom Preset 3 Functio	
	N21920 N632 NONE..OFFSET MODE	
	N22080 N570 CNCL..Cab/Rem: Custom Preset 1 Fun	
	N22100 N572 CNCL..Cab/Rem: Custom Preset 2 Fun	
	N22120 N574 CNCL..Cab/Rem: Custom Preset 3 Fun	
	N22070 N547 OFF...Cab: Custom Interlock	
	N22140 N581 OFF...Remote: Custom Interlock	
O	<b>CECU/VECU Electronics Architecture</b> Features include: Faster processing and larger hard drive capacity to provide new features customers are requesting, Improved data security, accessibility, and reliability of SmartLINQ, SmartNav, Telematics Pre-Wire, PTO/body controller, and RP1226 connector diagnostics and Driver Performance Assistance (DPA) Off-Boarding to allow improved fleet analytics.	0
O	<b>Engine Idle Shutdown Timer Disabled</b>	0
U	<b>Eff EIST NA Expiration Miles</b>	0
	<b>Effective VSL Setting NA</b>	0
O	<b>Typical Operating Speed 68 MPH</b>	0
O	<b>MX Retarder State Cruise Control On</b> (Manual Mode Engine Parameter)	0
O	<b>Powertrain Optimized for Balance</b> Best analysis for vehicles where service includes frequent start and stop cycles.	0
O	<b>Dash Mounted PTO Mode Control Switch</b> With implementation of VECU, data is now available in REPTO through the use of the PTO mode switch. These new features include Log time and fuel in PTO mode, Disable EIST in PTO mode, PTO Mode specific EIST and Fan on in PTO Mode.	0
O	<b>PTO Mode Control -Cab Station</b>	0




Std/ Opt	Description	Weight
O	<b>Decline Driver Performance Assistant</b>	0
S	<b>Engine Monitoring Protection - Derate</b> (PACCAR MX) A warning is provided in the A-Panel display when DPF regeneration is required. Continued operation without regeneration will initiate automate derating of the engine's power and can result in damage to the engine.	0
S	<b>CARB Engine Idling Compliance</b> PACCAR PX-7, PX-9 and MX, Cummins X15 and ISX diesel engines will include the required factory installed serialized sticker on the drivers door to identify them as meeting the NOx idling standard.	0
S	<b>Engine Brake Controls Located on RH Column</b>	0
O	<b>Remote PTO/Throttle, 12-Pin, Eng Bay</b> Remote Control Provision	0
O	<b>Omit Chevron Engine Oil Sticker</b> (DELO)	0
S	<b>PACCAR 160 Amp Alternator, Brushed</b> PACCAR 160 AMP alternator, brushed producing 160 Amps at road speed and 100 Amps at idle.	0
S	<b>Immersion Type Block Heater 110-120V</b> Standard location for 2.1M and 1.9M models is left-hand under cab, Model 520 is in bumper, and for Model 220 it is at the driver step. Plug includes a weather-proof cover that protects the receptacle. This pre-heater keeps the coolant in the engine block from freezing when the engine is not running.	0
S	<b>PACCAR Premium Starter - MX Engines Only</b> PACCAR Premium 12 volt. Better cranking power, lower current draw and improved warranty to 5-yr/500K miles.	0
S	<b>3 PACCAR Premium 12V Dual Purpose Batt 2190 CCA</b> Threaded stud type terminal. Stranded copper battery cables are double aught (00) or larger to reduce resistance.	0
O	<b>Battery Jumper Terminal Mounted Under Hood</b> LH Frame Rail. Not available with PX-7 engines.	4
S	<b>Low Voltage Disconnect System</b>	0
O	<b>2-Speed Fan Clutch For Frequent Start/Stops</b> A 2-speed fan clutch is ideal for vocational applications where the fan clutch engagement time exceeds 10% of the engine run time. When the fan clutch is disengaged, the fan still rotates at 15-25% of the engine RPM. This fan rotation provides crucial airflow to the engine and draws virtually no horsepower.	0
S	<b>WABCO 25.9 CFM Air Compressor, MX only</b> WABCO 25.9 CFM air compressor, MX only, provides greater air output aiding in cleaner operation, higher efficiency, and durability.	0
S	<b>Compression Brake, MX</b> The Mx brake features a Jacobs Brake with an integrated compression-release brake and engine overhead. the specially designed exhaust came lobe provides both exhaust cam motion and deicated	0



Std/ Opt	Description	Weight
	Compression release timing. This results in precise timing of the valve opening, unleashing higher retarding performance with minimum loading on the engine.	
S	<b>PACCAR Fuel/Water Separator Extended Service Interval</b>	0
S	<b>No Fluid Heat Option for Fuel Filter</b>	0
O	<b>12V Heat for Fuel Filter</b> Fuel filter heaters help ensure a seamless flow of diesel from the tank to the combustion chamber. Eliminating any possibility of moisture freezing within the fuel filter while simultaneously increasing the fuel temperature for atomization within the engine.	0
S	<b>High Efficiency Cooling System</b> Cooling module is a combination of steel and aluminum components, with aluminum connections to maximize performance and cooling capability. Silicone radiator & heater hoses enhance value, durability, & reliability. Constant tension band clamps reduce leaks. Chevron Delo Extended Life Coolant (NOAT) extends maintenance intervals reducing maintenance costs. Anti-freeze effective to -30 degrees F helps protect the engine. Low coolant level sensor warns of low coolant condition to prevent engine damage. Radiator Size by Model: 579/367 FEPTO 1325 sq in, 567/365/367: 1440 sq in, 365 FEPTO: 1184 sq in, 389/367 HH: 1669 sq in, 348: 1000 sq in, 520: 1242 sq in.	0
O	<b>Dual Pre-Cleaners, Under Hood Mounted, Self Cleaning</b>	0
S	<b>(1) Air Cleaner Firewall Mounted</b> Molded rubber air intake connections with lined stainless steel clamps seal to prevent contaminants in air intake.	0
S	<b>Exhaust Single RH Side of Cab</b> DPF/SCR right-hand Under Cab.	0
O	<b>Curved Tip Standpipe(s)</b>	1
O	<b>36" Ht, 5" Dia Chrome, Clear Coat Standpipe(s)</b>	4
<b>Transmission &amp; Equipment</b>		
O	<b>Eaton RTO16908LL 10-Speed</b> <i>Manual Shift</i> <del>1650 Torque</del> Includes external oil-to-water cooler and internal pump, rear transmission support, direct shift pattern. Synthetic lubricant to reduce friction, improve efficiency, & extend component life. Magnetic transmission oil drain plug captures & holds any metal fragments in transmission oil to extend service life. Torque limiting clutch brake. Forward ratios: LL-14.56, L-9.42, 1st-6.24, 2nd-4.63, 7th-1.00, 8th-0.74. Reverse ratios: LL-15.22, L-9.85, H-2.89	150
O	<b>1810 HD Driveline, 1 Midship Bearing</b> 4.5in x .180 wall tubing	90
O	<b>1710 Driveline Interaxle</b> For tandem rear axles	0
O	<b>Bottom Mount PTO Provisions</b> Provides a different hydraulic clutch actuator with its servo air inlet on the right-hand side in place of the standard left-hand side, giving	4



Std/ Opt	Description	Weight
	clearance for bottom mount PTOs. This code will not work with the following dual transmission mounted PTOs, because of interference issues with the 6-bolt PTO: Chelsea 880 or 885 bottom mounted 8-bolt PTOs with Chelsea 230, 236, 442 or 660 RH mounted 6-bolt PTOs on Eaton FR transmissions or Chelsea 880 or 885 bottom mounted 8-bolt PTOs with Chelsea 230, 236 or 340 right-hand mounted 6-bolt PTOs on Eaton RT transmissions.	
O	<b>(1) Dash Mounted Single Acting EOA PTO Control</b> Electric-over-air (EOA), specifying PTO (power-take-off) control switch does not ensure the PTO will fit.	0
U	<b>EATON SHIFT CALIBRATION PERFORMANCE</b>	0
S	<b>Manual Shifter, Black</b>	0
O	<b>Self-Adjust Clutch IPO Easy Pedal</b>	0
O	<b>Remote Lube Hose For Release Bearing</b> Mounted under hood left-hand rail	2
<b>Air &amp; Trailer Equipment</b>		
O	<b>Bendix AD-HF EP Air Dryer, Heater</b> Coalescing filter, extended purge. Bendix AD-HF air filters protects the life of your engine system and components. Proven PuraGuard oil coalescing technology in the the air dryer cartridge. This oil coalescing filter ensures the removal of oil and oil aerosols before they can contaminate the moisture removing desiccant.	-2
O	<b>Pull Cords All Air Tanks</b>	1
S	<b>Nylon Chassis Hose</b>	0
S	<b>Steel Painted Air Tanks</b> All air tanks are steel with painted finish except when Code 4543330 Polish Aluminum Air Tanks is also selected (then exposed air tanks outside the frame rails will be polished aluminum). Peterbilt will determine the optimal size and location of required air tanks. Narratives requesting a specific air tank size or location will not be accepted for factory installation. See ECAT to determine number or location of air tanks installed.	0
S	<b>Self Returning Brake Hand Valve</b> Dash mounted controls	0
	 <b>AE Connection EOF, 7-Way Socket, 4' Additional</b> Lines coiled and strapped to frame, without gladhands	15
<b>Tires &amp; Wheels</b>		
O	<b>FF: BR 20ply 315/80R22.5 M870</b> Efficiency Rating: Fair Diameter= 42.8 inches; SLR= 19.9 inches The Bridgestone M870 is a high scrub All-Position Radial tire designed specifically for urban waste collection.	94



Std/ Opt	Description	Weight
O	RR: BR 16ply 11R22.5 M853 Efficiency Rating: Poor Diameter= 41.8 inches; SLR= 19.4 inches	192
S	Code-rear Tire Qty 08	0
O	FF: Alcoa 89U647 22.5X9.00 Clean Buff Finish Aluminum, Ultra ONE wheels with MagnaForce alloy.	-22
O	RR: Alcoa 882677 22.5X8.25 Clean Buff Finish Aluminum. Clean buff finish on both sides as applicable. Finish options for heavy-duty trucks, 2.5 lbs. weight savings, new hub bore with less metal to metal contact to hinder corrosion with a maintained half dual space and load rating.	-200
S	Code-rear Rim Qty 08	0
O	PR: (4) Alcoa 664807 17.5X6.00 Clean Buff Finish Aluminum, (2) 8K self-steering pusher axles.	108
O	PR: (4) BR 16ply 215/75R17.5 R238 (2) 8K self-steering pusher axles. Diameter= 30.7 inches; SLR= 14.4 inches	264
<b>Fuel Tanks</b>		
O	26" Aluminum <sup>usable</sup> 110 Gallon Fuel Tank LH U/C Includes steps for cab access. Paddle handle filler cap with threadless filler neck. Top draw fuel plumbing reduces chance of introducing air into the fuel system during low fuel level conditions due to the central placement of fuel pickup tube. Wire braid fuel lines increase durability & reduce potential for leaks.	24
O	Location LH U/C 110 Gallon	0
O	Heavy-Duty Fuel Tank Step Reinforcement (1) Fuel Tank	5
S	DEF Tank Mounted LH BOC Models 220 and 520 mounted left hand back-of-cab.	0
S	DEF To Fuel Ratio 2:1 Or Greater	0
O	Polished Stainless Steel Cover For DEF Tank	0
O	DEF Tank Medium 20.7 Gallon Capacity	22
O	RH Tank None Furnished	-86
<b>Battery Box &amp; Bumper</b>		
O	Aluminum Space Saver Battery Box RH BOC Battery access from side	-60
S	Aftertreatment Aluminum Non-Slip Cab Entry Aftertreatment right-hand under cab step. DPF/SCR for diesel engines, catalyst for natural gas engines. On Models 579 specifying chassis fairings, the box is aerodynamic.	0



Std/ Opt	Description	Weight
O	<b>Steel Bumper Deep Tapered Chromed</b> Two tow points	49
O	<b>Bumper Toe Step Cutout</b>	0
<b>Cab &amp; Equipment</b>		
O	<b>Vocational 115 BBC Alum Cab and Metton Hood SFFA</b> Stainless steel crown and grille with tilt assist.	-60
O	<b>Thermal Insulation Package in Cab</b> Includes thick, closed-cell foam in floor, special mylar-faced foam in walls and roof structure.	2
S	<b>No Sleeper Selected</b>	0
O	<b>Fender Lips 2.25" Wide</b>	6
S	<b>Peterbilt ST Driver</b> Peterbilt ST air seat, high height backrest, adjustable seat track length, 1 chamber lumbar support, suspension with fixed damping, fore-aft isolator with lockout, Vinyl bellows over suspension. Adds 40mm of increased space for steering wheel to chest and improved driver ingress/egress into cab and sleeper (knee sweep) with improved passenger side ingress/egress for personal carog/luggage. Standand vinyl finish - color coordinate with interior color.	0
S	<b>Peterbilt ST Non-Adjustable Passenger Seat</b> Standard vinyl, no suspension cover, no seat back recline.	0
O	<b>Drivers Armrest - RH Only</b>	2
O	<b>Black Seat Color IPO Standard Color</b>	0
O	<b>Toolbox Under Passenger Seat</b> Non-Suspension Seat	11
O	<b>Tow Hook Holders Mounted</b> Requires toolbox under passenger seat, code 6939110.	6
S	<b>Air Ride Driver</b>	0
S	<b>High Back Driver</b>	0
O	<b>Mordura Driver</b>	0
S	<b>Non-Air Ride Passenger</b>	0
S	<b>High Back Passenger</b>	0
O	<b>Mordura Passenger</b>	0
O	<b>Steering Wheel With Multi-Function</b> Includes Peterbilt logo on horn button , audio volume, seek, mute and mode button on LH pod with cruise control on/off/cancel, set/resume and accelerate/coast on the right pod.	4

Set Forward Front Axle




Std/ Opt	Description	Weight
S	Adjustable Steering Column - Tilt/Telescope	0
S	Prestige Interior - Sterling Gray	0
O	Exterior Cab Entry Grabhandle Textured; NFPA compliant. Available on Day Cab specifications only.	6
O	Dark Window Tint IPO Standard Tint - Day Cab	0
S	Day Cab Rear Window Day cab rear window flush to back of cab.	0
S	1-Piece Glass Rear Cab Window Fixed	0
S	1-Piece Curved Windshield	0
S	Power Door Locks and Power Window Lifts Standard	0
S	Combo Fresh Air Heater/Air Conditioner With radiator mounted condenser, dedicated side window defrosters, Bi-Level Heater/Defroster Controls, 54,500 BTU/HR, and silicone heater hoses.	0
O	Cup Holder (Floor Mounted) Includes two standard-size drink holders and one extra-large jugholder, coin tray, and clipboard-size storage area.	4
O	Outside Sunvisor - Stainless Steel Not available with 2.1M high roof sleeper.	8
O	Peterbilt Aero Rear View Mirror, Motorized Includes top mirror with motorized, adjustable dual axis heated glass. Bottom mirror is an integrated convex surface. Includes black textured arms with breakaway feature.	3
S	Aero Rear View Mirror Housing - Body Color	0
S	Look Down Mirror Over Passenger Door with Black Housing	0
S	Air Horn Mounted Under Cab	0
O	ConcertClass, AM/FM, Weatherband, 3.5 Aux	10
O	Standard Speaker Package For Cab (2) Speakers	4
O	Bluetooth Phone and Audio	0
O	USB Port	0
O	CB Terminal Wiring, Microphone Clip, Speaker F/O CB radio mounted center of header. Select antenna separately.	3
O	(1) Antenna for Factory Installed Or F/O CB, mounted vertical center BOC/BOS.	1
S	SmartLINQ Remote Diagnostics	0

Radio

CB hook up



Std/ Opt	Description	Weight
	SmartLINQ is Peterbilts proprietary remote diagnostics service which monitors the engine and aftertreatment for diagnostic codes providing real-time code analysis maximizing vehicle uptime and strengthening the fleets partnership with their dealer. SmartLINQ provides fault coverage for over 800 codes, a customizable email notification for 116 codes plus a web portal to manage your entire fleet included at no additional charge. SmartLINQ is compatible with any telematics system and doesnt require a specific fleet management system. For those whose customers utilize PeopleNet, the pre-wire with remote diagnostics will provide a more integrated solution utilizing the existing SmartLINQ modem. For those whose customers utilize other fleet services products, the existing pre-wire option for the other fleet service devices will continue to be available. Standard on Class 8 engines and available on Models 348, 337, 330 and 325 with a PX-9, PX-7 or Cummins Westport natural gas engine.	
S	<b>24 Months SmartLINQ Subscription With OTA Functionality - PACCAR MX Engines</b>	0
O	<b>Rear Wall Deep Record/Map Pocket</b>	2
O	<b>Removable Bugscreen Behind Grille</b>	2
S	<b>Peterbilt Electric Windshield Wipers With Intermittent Feature.</b>	0
O 	<b>Cab Air Suspension</b>	15
O	<b>Auto Reset Circuit Protection</b> Daycab and Sleeper	0
O	<b>Triangle Reflector Kit, Ship Loose</b> Florescent triangle emergency road flares are designed to meet and exceed all DOT standards.	13
O	<b>Fire Extinguisher, Mounted Outboard Driver Seat</b> Hazmat approval UL listed/rated ABC	8
O	<b>Backup Alarm (107 DB)</b>	3
O	<b>Main Transmission Oil Temperature Gauge</b> Located in Driver Information Display	0
O	<b>Engine Oil Temperature Gauge</b> 52mm round, backlit. These physical gauges must be ordered in pairs and are limited to a total of 6.	0
S	<b>Air Filter Restriction Pressure Gauge</b> Located in Driver Information Display	0
O	<b>Switch To Deactivate Bendix ATC Traction Control</b> Bendix ATC is required on the specification. Switch is to temporarily disable the Traction Control in extreme conditions such as snow, ice or mud. The ATC warning light will display in a constant state.	0
S	<b>Main Instrument Panel</b> Includes Driver Information Display and Instrument Package With Speedometer, Tachometer, Fuel Level Gauge, Engine Oil Pressure, Engine Coolant Temperature, two Air Pressure, DEF Level Gauge.	0



Std/ Opt	Description	Weight
	With gas engines, DEF Level Gauge will be replaced with Brake Application Gauge.	
O	<b>Manifold Pressure Gauge</b> 52mm Round, backlit. Physical gauges must be ordered in pairs and are limited to a total of 6.	2
O	<b>(1) Additional Dash Switch With Wiring</b> (1) additional dash switch with wiring. Spare 1 and 2 share 15 amp fuse, spares 3, 4, and 5 share 15 amp fuse. Availability subject to dash space.	0
O	<b>Ammeter</b> Located in Driver Information Display	2
O	<b>Pusher Axle Pressure 1</b> 52mm Round, backlit. These physical gauges must be ordered in pairs and are limited to a total of 6.	0
O	<b>Pusher Axle Pressure 2</b> 52mm Round, backlit. These physical gauges must be ordered in pairs and are limited to a total of 6.	0
S	<b>Headlights Projector Module Pod</b> Fender mounted turn signals, projector module low beam, complex reflector high beam, pod mounted	0
S	<b>(5) Marker Lights, Aero LED</b> On roof, visor, or fairing	0
O	<b>Switch &amp; Wiring for F/O Beacon/Strobe</b> Switch and wiring for furnished by owner beacon / strobe, 10' coiled wire back-of-cab / back-of-sleeper, at rear sill.	2
O	<b>Incandescent Square Stop/Turn/Tail/Backup</b> Left-hand / right-hand square end of frame or dropped a-brace	9
S	<b>Peterbilt Signature Door Light Turn Signal</b>	0
<b>Paint</b>		
S	<b>Standard Paint Color Selection</b>	0
S	<b>(1) Color Axalta Two Stage - Cab/Hood</b> Base Coat/Clear Coat N85020 A- L0006EY WHITE N85500 CAB ROOF L0006EY WHITE N85300 FENDER L0006EY WHITE N85200 FRAME L0001EA BLACK N85400 HOOD TOP L0006EY WHITE	0
<b>Shipping Destination</b>		
<b>Options Not Subject To Discount</b>		
S	<b>Peterbilt Class 8 Standard Coverage</b> 1 year/100,000 Miles (160,000 km)	0
S	<b>PACCAR MX Standard Coverage</b> 2 yrs/250,000 mi (400,000 km)/6,250 hrs	0
<b>Miscellaneous</b>		



Std/ Opt	Description	Weight
S	Day Cab / Prestige Interior (DM)	0
S	2017 EPA Emissions Engine Warranty Only	0
U	PETERBILT MOTORS COMPANY	0

**Promotions**

**Order Comments**

Total Weight

Chassis

18,980


**Prices and Specifications Subject to Change Without Notice.**

Unpublished options may require review/approval.  
Dimensional and performance data for unpublished options may vary from that displayed in CRM.


**PRICING DISCLAIMER**

While we make every effort to maintain the web site to preserve pricing accuracy, prices are subject to change without notice. Although the information in this price list is presented in good faith and believed to be correct at the time of printing, we make no representations or warranties as to the completeness or accuracy of this information. We reserve the right to change, delete or otherwise modify the pricing information which is represented herein without any prior notice. We carefully check pricing specifications, but occasionally errors can occur, therefore we reserve the right to change such prices without notice. We disclaim all liability for any errors or omissions in the materials. In no event will we be responsible for any damages of any nature whatsoever from the reliance upon information from these materials. Please check your order prebills to confirm your pricing information

Dlpo: Truck Model: 567 Customer: Apache County




**Note:** The image displayed is representative only. It should not be construed as a layout diagram. Dimensions and components are not to scale.



**Note:** The image displayed is representative only. It should not be construed as a layout diagram. Dimensions and components are not to scale.

Dtpo: Truck Model: 567 Customer: Apache County



Note: The image displayed is representative only. It should not be construed as a layout diagram. Dimensions and components are not to scale.

Selected Options

Sales Option	Description	Width	Side
5554220	26" Aluminum 110 Gallon Fuel Tan...	26	Left
5655029	DEF Tank Medium	22.8	Left
6040550	Aftertreatment Aluminum Non-Slip...	18	Right
6010780	Aluminum Space Saver Battery Bo...	18	Right

Available Space: Left: 9.3 in. Center: 91.5 in. Right: 10.9 in.




Apache County Board of Supervisors  
AGENDA ITEM REVIEW FORM

date/time stamp

Submitter's Name: (Individual, Organization, or County Department)

ENGINEERING

Date/Signature 11/9/20



Describe in detail what you want to say to the Board and what action you want the Board to take: DISCUSSION AND POSSIBLE APPROVAL TO PURCHASE NEW SEMI TRUCK FROM RUSH PETERBILT FOR A COST OF \$ 148,381.17. SOURCEWELL CONTRACT # 06-18 USING DISTICT III CARRYOVER FUNDS

PRE-AGENDA ITEM REVIEW

Review Routing / /Legal / /Finance / /Purchasing / /Human Resource / /Other: \_\_\_\_\_


Legal Review: \_\_\_\_\_

OK - Joe Young

Signature: \_\_\_\_\_

Finance Review: \_\_\_\_\_

Signature: \_\_\_\_\_



Human Resources Review: \_\_\_\_\_

Signature: \_\_\_\_\_

Other Review: \_\_\_\_\_

Signature: \_\_\_\_\_

Reviews completed, item approved for Agenda.

Supervisor/Board Clerk's Initials \_\_\_\_\_



Rush Truck Center, Phoenix  
 9600 W. Roosevelt St.  
 Tolleson, AZ 85353  
 602-422-8100

www.rushtruckcenters.com

# Retail Sales Order

SALES ORDER		Date 10/27/2020	
Please enter my order for the following: <input checked="" type="checkbox"/> New <input checked="" type="checkbox"/> F.E.T. Applicable <input type="checkbox"/> Used <input type="checkbox"/> F.E.T. Exempt		APACHE COUNTY	
Make Peterbilt	Series 389	Customer's Name P.O. BOX 428	ST. JOHNS AZ 85936
Year 2021	Body Type TT TRACTOR	Street 86-6000385	City State Zip 1-928-337-4364
Color WHITE	Trim Prestige	Federal Tax ID #	Business Phone Fax
Serial # 1XPXD49XXMD761271		Purchaser's Name	
Stock # 1243690		Street City State Zip	
To be delivered on or about 12/17/2020		Federal Tax ID # Business Phone Fax	
New 2021 Peterbilt model 389 Day Cab tractor	136,737.00	By Salesman John Greener	
as per the attached specifications.		Truck Will be Titled in Apache County.	
Delivered to St. John's road yard.	0.00	LIENHOLDER INFORMATION	
Predelivery and DOT inspections included	0.00	Date of Lien	
		Lien Holder	
Sales Price	.00	Draft Through	
Factory Paid F.E.T.	1.00		
F.E.T. Tire Credit	0.00		
Total Factory Paid F.E.T.	.00		
Optional Extended Warranties	0.00		
Sub-Total	136,737.00		
Dealer Paid F.E.T. *	0.00		
Local Taxes	<i>JK</i> 11,349.17		
Additional Taxes	25.00	Total Used Vehicle Allowance *	0.00
License, Transfer, Title, Registration Fee	0.00	Less Total Balance Owed	0.00
Tire Recycling Fee	20.00	Total Net Allowance on Used Vehicle(s)	0.00
Documentary Fee	250.00	Deposit or Credit Balance	0.00
Total Cash Delivered Price	<i>JK</i> 148,381.17	Cash with Order	0.00
Total Down Payment	0.00		0.00
Unpaid Cash Balance Due on Delivery	<i>JK</i> 148,381.17	*See Trade-in details on page 4	
A DOCUMENTARY FEE IS NOT AN OFFICIAL FEE. A DOCUMENTARY FEE IS NOT REQUIRED BY LAW, BUT MAY BE CHARGED TO CUSTOMERS FOR HANDLING DOCUMENTS RELATING TO THE SALE.		Customer, by the execution of this Order, offers to purchase the Product(s) described above upon the Terms and Conditions contained herein. Customer acknowledges that Customer has read the Terms and Conditions of this Order on Page 2 and has received a true copy of this Order and the Terms and Conditions.	
*SUBJECT TO ADJUSTMENT - FINAL F.E.T. MAY VARY. ANY F.E.T. VARIANCE RESPONSIBILITY OF DEALER		Customer's Signature	Date
NOTICE: THE FOLLOWING ARE IMPORTANT PROVISIONS OF THIS ORDER		OFFER RECEIVED BY: <i>John Greener</i> 10-27-2020	SALES REPRESENTATIVE Date
THIS ORDER CANCELS AND SUPERCEDES ANY PRIOR AGREEMENTS AND, AS OF THE DATE HEREOF, COMPRISES THE COMPLETE AND EXCLUSIVE STATEMENT OF THE TERMS OF THE AGREEMENT BETWEEN THE PARTIES.		OFFER ACCEPTED BY:	AUTHORIZED REPRESENTATIVE Date
IF ANY REPRESENTATIONS, SPECIFICATIONS OR OTHER AGREEMENTS ARE RELIED UPON BY CUSTOMER, THEY MUST BE IN WRITING AND SPECIFICALLY IDENTIFIED AND REFERENCED IN THIS ORDER; OTHERWISE, THEY WILL NOT BE BINDING ON OR ENFORCEABLE AGAINST DEALER.			
THERE ARE NO UNWRITTEN ORAL AGREEMENTS BETWEEN THE PARTIES.			

CHASSIS NUMBER: 761270	Plant: 6	MODEL: 0003891	CUSTOMER NAME: STOCK	FIRM DATE: 10/20/20
---------------------------	-------------	-------------------	-------------------------	------------------------

REPORT DATE: 10/13/20

CHASSIS NUMBER: 761270	MODEL: 0003891	
STARTING CHASSIS NO: 746685	ENDING CHASSIS NO: 761271	OPS STAT: RELS
DTPO CONTROL NO: 10022525		CHS STAT: AL
PROCESSING STATUS: RELS		
ORDER TYPE: 0	QUANTITY: 2	UNIT TYPE: 1
VEHICLE IDENTIFICATION NO: 1XPXD49X8MD761270		EPA CODE:

COMMENTS:

DEALER NO: D557	DEALER PO:
CUSTOMER NO: CGZ9	PRESENT ID-1: CONTRACTOR
CUSTOMER NAME: STOCK	CUSTOMER PO:
SHIPPING DESTINATION: D557 PDI	
CUSTOMER/STOCK CODE: S	

ORDER RECEIVED DATE: 09/10/20	TENTATIVE DATE: 10/19/20
ORDER ENTRY DATE: 09/10/20	FIRM DATE: 10/20/20
REQUESTED: 10/26/20	OVERRIDE SCHEDULE DATE:
PRICE EFFECTIVE DATE: 07/01/20	DEALER DOWNLOAD DATE:
ACTUAL DELIVERY DATE:	CAB SCHEDULE DATE:
FINAL SCHEDULE DATE:	FRAME SCHEDULE DATE: 10/20/20
CANCELLATION DATE:	PREBILL DATE: 09/14/20
WARRANTY EFFECTIVE DATE:	WARRANTY RECEIPT DATA:

PROMOTION PROGRAM

NO:	BULLETIN:	CAR NO:
PCT:	AMOUNT:	AMT:
		PCT:

DIMENSION AND WEIGHTS

COMMODITY HAULED: 0091200	OTHER COMMODITY
INTENDED SERVICE: 0093170	GENERAL FREIGHT

BODY DATA

TYPE:		
LENGTH:	HEIGHT:	MAX WEIGHT:

TRAILER DATA

TYPE: 0096060	FLATBED	
LENGTH: 65.00 FT	HEIGHT: 13.50 FT	KING PIN: 26.00 IN
CENTER LINE OF AXLE GROUP:		
CORNER RADIUS: 1.00 IN		NUMBER OF TRAILER AXLES: 02

OPERATING AREA RESTRICTIONS

LENGTH: 65.00 FT	WIDTH: 102.00 IN	HEIGHT: 13.50 FT
OPERATION AREA (EXPORT ONLY):		

CHASSIS DATA

AXLE LOADS FRONT: 12000.00 LBS	REAR: 40000.00 LBS	GCW: 80000.00 LBS
--------------------------------	--------------------	-------------------

MAXIMUM GRADE PERCENT: 6	PERCENT HIGHWAY: 90
	PERCENT CLASS B: 10
	PERCENT CLASS C:
	PERCENT CLASS D:
WHEELBASE: 225.00 IN	CAB TO AXLE: 132.20 IN
CAB TO END OF FRAME: 188.20 IN	AXLE TO BACK OF CAB: 92.80 IN

SPECIAL REQUIREMENTS:

0098170 UNITED STATES REGISTRY		
GAWR FRONT: 12000.00 LBS	GAWR FIRST INTER: 20000.00 LBS	
GAWR SECOND INTER: 20000.00 LBS	GAWR REAR:	GVWR: 52000.00 LBS
PRODUCTION CHANGE:	CHANGE ORDER CHANGE	INVOICE TERMS: 015
ENGINE SERIAL NUMBER:	ACTUAL WEIGHT:	


OLD QUOTE OR INQUIRY NO:

X

OPTION	DESCRIPTION	PUB
0003891	MODEL 389 CONVENTIONAL	P
0200700	NOT APPLICABLE	
	SECONDARY MANUFACTURER	P
0515020	10-5/8" STEEL RAILS 286"-325"	
	5/16" RAIL THICKNESS	P
0644000	EOF TRACTOR TAPERED WITH CROSSMEMBER	
	INCL KINGPIN CUTOUT	P
0651220	FURNISH MUDFLAP HNGRS ONLY OMIT FLAPS	
	MUDFLAP/HANGER OPTION REQUIRED	P
0651820	PB REAR MUDFLAPS, SS MUDFLAP HANGERS	
	SPRING LOADED	P
0671040	PETERBILT STAINLESS STEEL QTR FENDERS,	
	BRACELESS	P
0835860	<del>HOLLAND FW35 FIFTH WHEEL TOP PLATE</del>	P
0870060	REAR OR FIXD SETTING BHD C/L BOGIE 006.0 IN.	
0890090	LH FIFTH WHEEL RELEASE	P
0890560	8.6"-9.25" FIFTH WHEEL HEIGHT	P
0890643	HOLLAND HEAVY DUTY AIR SLIDE	
	REQ W/ SUSPENSIONS >40K/NO-TILT	P
0890670	<del>NO-TILT CONVERTIBLE</del> <i>for use w/ frameless end dumps</i>	P
0891250	30" AIR SLIDE	
	HOLLAND NO-TILT ONLY	P
0960000	<del>FRAME MTD DECK PLATE AND ACCESS PKG, LH</del>	
	<del>SIDE</del>	P
1011930	<del>DANA SPICER D1251IL, 12,500 LB, 3.5" DROP</del> <i>Front Axle</i>	P
1111190	TAPER LEAF SPRINGS, SHOCKS 12,000 LBS.	P
1233030	POWER STEERING TRW TAS65	P
1250180	POWER STEERING RESERVOIR, FRAME MOUNTED	P
1353550	PHP10 ALUMINUM PRESET+ HUBS - AIR DISC	
	USE WITH FRONT AXLE	P
1380070	GREASABLE FRONT SPRING PINS	P
1380240	DANA SPICER WIDE TRACK IPO STD	
	FRONT AXLE(S)	P
1380290	<del>AIR DISC FRONT BRAKES</del>	P
1391400	70 MM FRONT SPRING SPACER BLOCKS	P
1523310	<del>DANA SPICER DSH40 40,000 LBS.</del>	
	<del>HIGH PERFORMANCE 40</del>	P
1616290	PHP10 ALUMINUM PRESET+ HUBS	P
1680390	BENDIX ESP ELECTRONIC STABILITY PROGRAM	
	WITH ATC, TRACTOR SERVICE	P
1680450	REAR BRAKE CAMSHAFT REINFORCEMENT	P
1680490	GUSSETED CAM BRACKETS, DRIVE AXLE(S)	P
1682420	ISO 3731 CONNECTOR TRAILER ABS POWER;	
	MTD ADJACENT TO J560 TRAILER CONNECTOR	P
1682710	ANTI-LOCK BRAKING SYSTEM (ABS) 6S6M	P
1684200	SYNTHETIC AXLE LUBRICANT ALL AXLES	P
1687010	BENDIX AIR CAM REAR DRUM BRAKES 16.5X7	P
1687090	<del>DIFF LOCK TANDEM AXLES</del>	
	<del>WITH SPEED INTERLOCK</del>	P
1703700	<del>RATIO 3.70 REAR AXLE</del>	P
1821800	<del>PETERBILT AIR TRAC 40,000 LBS., 52" AS</del>	
	<del>LIGHT WEIGHT</del>	P
1920450	LOCATE SINGLE LEVELING VALVE FWD DRV	
	AXLE OF PB AIR SUSP	P
1922260	DASH MTD DUMP SWITCH WITH INDICATOR	
	LIGHT FOR SUSPENSION	P
2059613	X15 500@1700 GOV@1700 1850@950 <i>Cummins engine</i>	



*HP*



*Torque*

	EFFICIENCY SERIES (2017 EMISSIONS)	P
2091305	ENGINE IDLE SHUTDOWN TIMER ENABLED	P
2091315	ENABLE EIST AMBIENT TEMP OVERRULE	P
2091372	EFF EIST NA EXPIRATION MILES	P
2091638	EFFECTIVE VSL SETTING 65.0 MPH OR GREATER (USA)	P
2092015	TYPICAL OPERATING SPEED 70 MPH	P
2092033	POWERTRAIN OPTIMIZED FOR BALANCE	P
2120160	CUMMINS TRV FOR DAVCO ONLY FOR FUEL FILTERS, X15	P
2140200	CARB ENGINE IDLING COMPLIANCE	P
N21320	C399 120...GREEN HOUSE GAS VEHICLE SPEE	
N21330	C402 0.....GREEN HOUSE GAS VEHICLE SPEE	
N21340	C209 120...MAXIMUM VEHICLE SPEED	
N21350	C121 75....MAXIMUM ACCELERATOR VEHICLE	
N21370	C128 75....MAXIMUM CRUISE CONTROL SPEED	
N21400	C400 252...DRIVER INITIATED OVERRIDE RE	
N21410	C334 0.....DRIVER INITIATED OVERRIDE MA	
N21420	C401 10....GREEN HOUSE GAS VEHICLE SPEE	
N21430	C333 0.....DRIVER INITIATED OVERRIDEMAX	
N21440	C234 YES...ENGINE PROTECTION SHUTDOWN	
N21450	C231 NO....GEAR DOWN PROTECTION	
N21460	C132 1400..PTO MAXIMUM ENGINE SPEED	
N21470	C239 YES...CRUISE CONTROL AUTO-RESUME	
N21480	C238 YES...CRUISE CONTROL AND ENGINE BR	
N21500	C395 0.....GREEN HOUSE GAS AUTOMATIC EN	
N21510	C225 YES...IDLE SHUTDOWN WITH PARKING B	
N21520	C133 5.....IDLE SHUTDOWN TIMER	
N21530	C396 YES...IDLE SHUTDOWN WARNING PERIOD	
N21540	C397 60....IDLE SHUTDOWN WARNING PERIOD	
N21550	C206 100...IDLE SHUTDOWN PERCENT ENGINE	
N21570	C233 NO....IDLE SHUTDOWN MANUAL OVERRID	
N21590	C382 YES...IDLE SHUTDOWN HOT AMBIENT AU	
N21610	C188 40....IDLE SHUTDOWN COLD AMBIENT A	
N21620	C189 60....IDLE SHUTDOWN INTERMEDIATE A	
N21630	C190 80....IDLE SHUTDOWN HOT AMBIENT AI	
2513060	PACCAR 160 AMP ALTERNATOR, BRUSHED	P
2521090	IMMERSION TYPE BLOCK HEATER 110-120V SEE SALES TOOL DESC FOR PLUG LOCATION	P
2522110	PACCAR 12V STARTER N/A PACCAR MX ENGINES	P
2538040	3 PACCAR PREMIUM 12V DUAL PURPOSE BATTERIES, 2190 CCA	P
2539740	KISSLING BATTERY DISCONNECT SWITCH 300 AMP; MOUNTED ON BATTERY BOX	P
2621000	2-SPEED FAN CLUTCH FOR FREQUENT START/STOPS	P
2725270	NATURALLY ASPIRATED (37.4 CFM AIR) <i>Larger than std.</i> COMPRESSOR - (X15 ONLY)	P
2812170	<i>INTEBRAKE - Take Brake</i> ISX/ISX15 (FURNISHED ON ENGINE)	P
2921130	DAVCO 382 FUEL/WATER SEPARATOR	P
2921310	NO ELECTRIC HEAT OPTION FOR FUEL FILTER	P
3010400	ENGINE PROTECTION SHUTDOWN W/DASH LABEL	P
3114270	HIGH EFFICIENCY COOLING SYSTEM	P
3212010	(2) 13" SS AIR CLEANERS, COWL MTD, SS CAP	P
3365340	EXHAUST DUAL SOC, LH SOC STACK AESTHETIC ONLY, DPF/SCR RH U/CAB	P
3387880	7" CHROME PLATED STL STANDPIPE(S IPO 5"	P

3387890	36" HT, 5" DIA STANDPIPE(S) CHROME WITH CLEAR COAT	P
4022080	<del>EATON RTLO18913A 13-SPEED</del> <i>Transmission</i> OIL-TO-WATER COOLER, INTERNAL PUMP	P
4210870	RPL20 DRIVELINE INTERAXLE	P
4211360	RPL25 SD DRIVELINE, 1 MIDSHIP BEARING	P
4233030	(1) DASH MTD SINGLE ACTING AIR PTO CTRL	P
4250790	ALUMINUM BELL HOUSING IPO IRON EATON TRANS 1400/1500/1600/1800/2000	P
4256100	MANUAL SHIFTER, BLACK	P
4256250	HD INPUT BEARING FOR PTO OPERATION	P
4380220	PRE-DAMPED CLUTCH	P
4380270	REMOTE LUBE HOSES FOR CLUTCH LINKAGE RELEASE BRG & CROSS SHAFTS, MTD TO LH	P
4510210	<u>BENDIX AD-HF EP AIR DRYER, HEATER</u> <i>updated Air dryer</i> COALESCING FILTER, EXTENDED PURGE	P
4540420	NYLON CHASSIS HOSE	P
4543320	STEEL PAINTED AIR TANKS	P
4612800	TRAILER HAND VALVE, COLUMN MTD CONTROLS	P
4614810	AE CONNECTIONS BOC/BOS, HOSE TENNA	P
4614850	12' AE LINES STRAIGHT, (2) 7-WAY PLUGS	P
4614870	AE CONNECTIONS 41-54" BOC/BOS	P
4620080	CONSTANT BATTERY POWER TO J560 TRAILER CONNECTOR PIN 7	P
5061040	FF: BR 16PLY <u>11R24.5</u> R284 ECOPIA	P
5166620	RR: BR 14PLY <u>11R24.5</u> M726ELA	P
5190008	CODE-REAR TIRE QTY 08.	
5220540	<u>FF: ALCOA 98U637 24.5X8.25 CLEAN BUFF</u> <i>&gt; 10 Alum wheels</i> ALM	P
5320540	<u>RR: ALCOA 98U637 24.5X8.25 CLEAN BUFF</u> ALM	P
5390008	CODE-REAR RIM QTY 08.	
5552190	<u>26" ALUM 100 GAL FUEL TANK RH BOC</u> <i>2 Fuel Tanks</i>	P
5556130	<u>26" ALUM 80 GAL FUEL TANK LH BOC</u> <i>one split for hydroil.</i>	P
5603100	LOCATION RH BEHIND CAB 100 GAL.	
5604080	LOCATION LH BEHIND CAB 080 GAL.	
5650260	<u>SPLIT ALUMINUM FUEL TANK RH BOC</u>	P
5650710	<u>LOCATE BOC FUEL TANK(S) FORWARD AS FAR AS POSSIBLE</u>	P
5651060	ARCTIC WRAP ON ALL FUEL LINES	P
5652590	FUEL FORWARD IN SPLIT TANK	P
5652650	<u>65 GAL FUEL IN SPLIT TANK</u>	P
5652800	ADDITIONAL SENDING UNIT IN SECONDARY FUEL TANK, GAUGE SELECTOR SWITCH	P
5652880	DEF TANK MOUNTED RH BOC	P
5652990	DEF TO FUEL RATIO 2:1 OR GREATER	P
5653000	POLISHED SS COVER FOR DEF TANK	P
5653170	MOUNT DEF TANK REARWARD OF FUEL TANK	P
5655029	DEF TANK MEDIUM	P
6010030	ALUMINUM BATTERY BOX LH U/C NON-SLIP STEP	P
6040550	AFTERTREATMENT RH U/C ALUM NON-SLIP CAB ENTRY STEP	P
6121090	<u>STEEL BUMPER DEEP TAPERED CHROMED</u> 2 TOW POINTS	P
6510140	<del>ALUMINUM CAB, 123" BBC ALUM HOOD SFFA</del> W/POLISHED CROWN & SPRING TILT ASSIST	P
6540160	THERMAL INSULATION PACKAGE IN CAB	P
6700000	NO SLEEPER SELECTED	P
6911700	NATIONAL DRIVER SEAT	P

*80 fuel  
65 fuel  
145 Total gals  
fuel*

6921700	NATIONAL PASSENGER SEAT	P
6930500	DRIVERS ARMREST - RH ONLY	P
6930590	PASSENGER ARMREST - LH ONLY	P
6930800	BLACK SEAT COLOR IPO STD COLOR	P
6939400	AIR RIDE DRIVER	P
6939420	HIGH BACK DRIVER	P
6939480	MORDURA DRIVER	P
6939500	AIR RIDE PASSENGER	P
6939520	HIGH BACK PASSENGER	P
6939580	MORDURA PASSENGER	P
7000350	POWER DOOR LOCKS BOTH DOORS	P
7001520	<u>ADJUSTABLE STEERING COLUMN</u>	
	<u>TILT/TELESCOPE</u>	P
7001620	STEERING WHEEL WITH PETERBILT LOGO	P
7039070	PRESTIGE INTERIOR - ARCTIC GRAY	P
7210420	DARK WINDOW TINT IPO STD - DAY CAB	P
7210430	EXTENDED REAR WINDOW IPO STD - DAY CAB	P
7210540	DAY CAB REAR WINDOW	P
7230350	TWO-PIECE FLAT WINDSHIELD	
	#REQUIRES MANAGEMENT APPROVAL ON M.D.#	P
7230680	<u>POWER LIFT WINDOWS BOTH DOORS</u>	
	FOR PROBILT OR PRESTIGE INTERIORS ONLY	P
7322010	COMBO FRESH AIR HEATER/ <u>AIR CONDITIONER</u>	P
7330700	PB COMFORT CONTROL - CAB	P
7410040	OUTSIDE SUNVISOR - STAINLESS STEEL	
	N/A W/ 2.1M HR SLEEPER	P
7560100	* <u>MIRRORS SSTL EACH SIDE HTD &amp; MTRZD</u>	
	(N/A W/6501100)	P
7560850	(2)CONVEX 8" SS MIRROR, CNTR MTD UNDER	
	MIRROR BRKT; INCLUDES DUAL DOOR STOPS	P
7620620	* <u>(2) AIR HORNS 24.5" CHROME - ROUND</u>	
	INCLUDES POLISHED HORN SHIELDS	P
7722120	CONCERTCLASS, AM/FM,WB, 3.5 AUX	P
7725710	STANDARD SPEAKER PACKAGE FOR CAB	
	(2) SPEAKERS <i>Radio info</i>	P
7728040	BLUETOOTH PHONE & AUDIO	P
7728050	USB PORT	P
7748140	CB TERMINALS/WIRING MTD UNDER HEADER	P
7748680	CB ANTENNA MOUNTING RH/LH MIRROR	
	N/A WITH RAMI	P
7788055	SmartLINQ REMOTE DIAGNOSTICS	P
7788058	24 MONTHS SMARTLINQ SUBSCRIPTION	
	CUMMINS ENGINES	P
7851040	REMOVABLE BUGSCREEN BEHIND GRILLE	P
7851480	PB ELEC WINDSHIELD WIPERS	
	W/INTERMITTENT FEATURE	P
7851970	* <u>UNIBILT CAB AIR SUSPENSION</u>	P
7900090	TRIANGLE REFLECTOR KIT	
	SHIP LOOSE	P
7900270	FIRE EXTINGUISHER, CAB MOUNTED	
	HAZMAT APPROVED UL LISTED/RATED ABC	P
8021220	TRAILER RESERVOIR AIR PRESSURE GAUGE	
	52MM ROUND, BACKLIT	P
8021360	(1) GENERAL AIR PRESSURE GAUGE	
	PLUMBED TO FIREWALL BULKHEAD	P
8021380	AIR RESTRICTION INDICATOR MTD ON AIR	
	CLEANER, INTAKE PIPING, OR FIREWALL	P
8022150	FUEL FILTER RESTRICTION GAUGE	P
8070260	SWITCH TO DEACTIVATE BENDIX ATC	
	TRACTION CONTROL	P

8071310	SUSPENSION PRESSURE GAUGE AMMETER	P
	52MM ROUND, BACKLIT	P
8071340	BRIGHT BEZEL GAUGES IPO BLACK	P
8071870	MAIN INSTRUMENTATION PANEL GRAPHICS DISPLAY	P
8072560	(1) ADDITIONAL DASH SWITCH WITH WIRING BEHIND DASH	P
8111140	HEADLIGHTS PROJECTOR MODULE POD INTEGRAL TURN SIGNALS	P
8120980	(5) MARKER LIGHTS, AERO LED	P
8133110	SWITCH & WIRING F/O AUXILIARY LIGHT UNDER CAB/SLEEPER (15A MAX)	P
8133120	SWITCH & WIRING F/O AUXILIARY LIGHT ON DUAL AIR CLEANERS	P
8133470	SWITCH & WIRING FOR F/O BEACON/STROBE 10' WIRE BOC/BOS AT REAR SILL	P
8140060	LED OVAL STOP/TURN/TAIL/BACKUP IN TRACTOR TAPER EOF XMBR	P
8151130	(2) LOAD LIGHTS, FLUSH MTD LOW INBOARD LOCATION A	P
8152530	(2) LOAD LIGHTS, BRACKET MTD INBOARD LOCATION K, DAYCAB	P
8153100	(1) F/O LOAD LIGHT, SWITCH, 10' WIRE COIL UNDER/IN CAB/SLEEPER	P
8500710	STANDARD PAINT COLOR SELECTION	P
8530770	(1) COLOR AXALTA TWO STAGE PAINT CAB/HOOD	P
N85020	A - L0006EY WHITE	
N85200	FRAME L0001EA BLACK	
N85300	FENDER L0006EY WHITE	
N85400	HOOD TOP L0006EY WHITE	
N85500	CAB ROOF L0006EY WHITE	
N85720	SK FAIRINGS L0006EY WHITE	
9400090	PETERBILT CLASS 8 STANDARD COVERAGE 1 YEAR/100,000 MILES (160,000 KM)	P
	2020 2ND HALF	U
9408930	PDI AT CVS LOCATION	P
9409001	DAY CAB / PRESTIGE INTERIOR (DM)	P
9409800	2017 EPA EMISSIONS ENGINE WARRANTY ONLY	P
9409869	PRESENTATION CREATED WITH SMARTSPEC **NLA**	U